



Mississippi Department of Mental Health (DMH)

Provider Submission Guide – Treatment Episode

Last Revision Date: 09/9/2022

Table of Contents

Version Control	5
1 Treatment Episode Data Set	6
1.1 Submitting Treatment Episode Data	6
1.1.1 Admission Definition	6
1.1.2 Admission	6
1.1.3 Performance Outcome Measure	7
1.1.4 Discharge	7
1.1.5 Functional Assessment	7
1.2 Treatment Episode Domain Diagram	7
1.3 Treatment Episode Entities	8
1.3.1 ProviderTreatmentEpisode	9
1.3.1.1 Description	9
1.3.1.2 Key Fields	9
1.3.1.3 Additional Business Rules	10
1.3.1.4 Fields	10
1.3.1.5 Admission	17
1.3.1.5.1 Description	17
1.3.1.5.2 Key Fields	17
1.3.1.5.3 Additional Business Rules	17
1.3.1.5.4 Fields	19
1.3.1.5.5 AdmissionSubstanceUse	25
1.3.1.5.6 AdmissionMentalHealth	35
1.3.1.5.7 Discharge	37
1.3.1.5.8 Functional Assessment	40
1.3.1.6 PerformanceOutcomeMeasure	46

1.3.1.6.1	Description	46
1.3.1.6.2	Key Fields	46
1.3.1.6.3	Additional Business Rules	47
1.3.1.6.4	Additional Guidance.....	48
1.3.1.6.5	Fields	49
1.3.1.6.6	FinancialAndHousehold	51
1.3.1.6.7	Health.....	55
1.3.1.6.8	EducationAndEmployment	59
1.3.1.6.9	UsedSubstance.....	62
1.3.1.6.10	MentalHealth	70
1.3.1.6.11	Legal	73
1.3.1.6.12	Diagnosis	76
1.3.1.7	Special Initiative	80
1.3.1.7.1	Description	80
1.3.1.7.2	Key Fields	80
1.3.1.7.3	Fields	80
1.3.1.8	Episode Discharge	81
1.3.1.8.1	Description	81
1.3.1.8.2	Key Fields	81
1.3.1.8.3	Additional Business Rules	81
1.3.1.8.4	Fields	81
1.3.1.9	Denial	84
1.3.1.9.1	Description	84
1.3.1.9.2	Key Fields	84
1.3.1.9.3	Additional Business Rules	85
1.3.1.9.4	Fields	85



Version Control

Date	Version	Author(s)	Brief Description of Change
1/13/2020	1.0	Savi Sahni	Initial Draft
3/13/2020	1.1	James Brockman	Added I-BHS # must be provided rule
3/16/2020	1.2	James Brockman	Added Treatment Episode cannot be closed unless all admissions are discharged rule Deleted Transfer Admission for Program Area requires prior admission to be discharged rule
4/21/2020	1.3	Shelby Maloney	Added Version Control
5/1/2020	1.4	Savi Sahni	Added rule for Discharge: Discharge Date Must be Before Or The Same As Treatment Episode Closed Date Rule
9/10/2020	1.5	Savi Sahni	Added rule for Frequency of Use: Frequency of Use Can be 'Not Applicable' Only if Substance Code is 'None'
9/11/2020	1.6	James Brockman	Clarified language on required objects for Functional Assessments, Used Substances, and Diagnoses.
11/17/2020	1.7	James Brockman	Clarified language on required objects for Diagnoses
12/10/2020	1.8	James Brockman	Clarified language on Initial and Transfer Admissions
1/20/2021	1.9	Manveet Chadha	Added new entity Special Initiative, new fields Problem Area Code, Occupation Code to Provider Treatment Episode dataset. Added new field Due Date to POM's Health Sub entity for the Provider Treatment Episode Dataset.
3/15/2021	1.10	Savi Sahni	Made the following changes: <ol style="list-style-type: none"> 1. Rule 'Detailed Substance Type Should Be Valid For Type Rule' is now an error and not a warning 2. Added Rule 'School Attendance Status Cannot Be Not Applicable If Client Age Is 3 to 17 Rule' 3. Added Rule 'Type Code Must Be Unknown If Type Code With Higher Rank Is Unknown Rule'
3/16/2021	1.11	Manveet Chadha	Made the following changes: <ol style="list-style-type: none"> 1) Added new field First Use Age Known Code to Used Substance entity under POM 2) Updated the First Use Age required rule to reflect the changes due to the addition of the First Use Age Known Code field 3) Updated the First Use Age Must Be Less Than Equal To The Age At Admission Rule to only apply to the First POM associated to the Admission. 4) Added the First Use Age Must Be Less Than Equal To The Age At Discharge Rule
3/17/2021	1.12	Manveet Chadha	Made following Corrections to the Special Initiatives Entity Under Treatment Episode Data Set: <ol style="list-style-type: none"> 1) Added Apostrophe to the "Special Initiative's" word in the description statement.

			2) Corrected “Performance Outcome Measure” to “Treatment Episode” in the description statement.
5/19/2021	1.13	Kim Wood	Added MERC-19 statement to Special Initiatives Entity.
7/15/2021	1.14	Kim Wood	Corrected Special Initiatives Code to Special Initiatives Type Code in the Field name, Vocabulary Validation and the error messages.
7/20/2021	1.15	Kim Wood	Corrected statement regarding Special Initiatives sub-entity being needed from specific to MERC-19 to all grants.
1/31/2022	1.16	Kim Wood	Added Guidance Statement to Due Date Field.
6/10/2022	1.2	James Brockman	Added new sections for Treatment Episode Discharge and Denial; ASAM; and Awaiting Treatment Location.
9/9/2022	1.21	Kim Wood	Disabled the Global Assessment of Functioning Score Known Code Rule.

1 Treatment Episode Data Set

1.1 Submitting Treatment Episode Data

Treatment episode data must be submitted for all clients served.

Provider Client information must already exist in the Data Warehouse before Treatment Episode data can be submitted.

Treatment Episode data should be re-submitted after any record in the Provider Treatment Episode (e.g. Admission, Diagnosis, Discharge, Performance Outcome Measure, Functional Assessment) needs to be added, changed, or removed.

1.1.1 Admission Definition

For clients receiving treatment for a specific program area, an admission is defined as the formal acceptance of a client who is eligible to receive treatment and services in that program area, which are certified by the Mississippi Department of Mental Health. An admission has occurred if, and only if, the client is formally admitted into treatment. A client who receives only evaluation, screening, or assessment and is not formally admitted into treatment should not be reported as an admission.

1.1.2 Admission

The first provider admission into a program area, for a given treatment episode, should be reported to the Data Warehouse as the *initial* admission.

When a client is transferred into a different level of care within the provider, for a given program area, a *transfer* admission into the new setting must be recorded. If the client transfers to another provider and will no longer be receiving services at the original provider, or if the client is no longer receiving services from the original provider, then a discharge must be recorded, thus ending the treatment episode at the provider. If the client transfers from one provider site to another provider site this should be considered a transfer admission. It is necessary to record the provider site for each transfer admission.

A transfer admission of a particular program area will only be accepted if all prior admissions within the episode for that program area have a corresponding discharge.

A performance outcome measure record is required to accompany each admission.

1.1.3 Performance Outcome Measure

A new performance outcome measurement must be completed for each admission to the provider and for all discharges. Performance outcome measurements must be updated to correct mistakes, as quickly as possible. The performance outcome measure section further defines performance outcome measures, including the rules for recording and submitting data pertaining to various performance outcome measure subsections.

1.1.4 Discharge


A discharge is defined as the termination of services at a specific level of care, or within a specific service provider, whether or not the client's treatment episode will continue in another level of care or with a different service provider. Services within a level of care may be terminated for many reasons including, but not limited to, treatment program completion, transfer to another treatment setting, or the client's inability to continue treatment because of death, incarceration, or other life circumstances. The discharge section below further defines the discharge record fields, including the rules for recording and submitting the discharge data.

1.1.5 Functional Assessment

DMH requires functional assessment data from providers of Substance Use Disorder services per the 2016 Operational Standards Rule 16.9 and Provider Bulletin PR0071. The functional assessment section below further defines the functional assessment record fields, including the rules for recording and submitting the functional assessment data.

1.2 Treatment Episode Domain Diagram

The following diagram depicts the relationships between all objects in the Treatment Episode domain in the Data Warehouse. Each of the objects below is an entity within the Treatment Episode domain.



1.3 Treatment Episode Entities

This section defines the entities involved in the Treatment Episode data set.

Entities that are under contract with Mississippi Department of Mental Health to provide services are required to submit client records in compliance with regulations and statutes.

The treatment episode captures data from the time the client is initially admitted for services to the time the client is discharged from services. Treatment episode data must be collected to meet state and federal data reporting needs. At the federal level, treatment episode data are collected mainly as part of the Block Grant requirements for Treatment Episode Data Sets (TEDS).

1.3.1 ProviderTreatmentEpisode

1.3.1.1 Description

A Provider Treatment Episode represents a client’s episode of care at a particular provider from the time the client is initially admitted to services at that provider, to the time the client is discharged from that provider. During this episode of care, the client can be transferred from one level of care to another within the provider. A Provider Treatment Episode will be uniquely identified in the Data Warehouse by the combination of the Provider’s Source Record Identifier for the Provider Treatment Episode and the Source Record Identifier for the Provider. Providers are required to submit a unique Source Record Identifier for each Provider Treatment Episode. Therefore, no two Provider Treatment Episode records can be submitted with the same Provider Treatment Episode Source Record Identifier and Provider Source Record Identifier combination.

1.3.1.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field
Source Record Identifier
Provider Source Record Identifier

1.3.1.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	Transfer Admission Requires Prior Initial Admission For Program Area Rule	An Admission with Type Code of 1200.2 (i.e. Transfer) cannot exist unless the Provider Treatment Episode contains an Admission with Type Code of 1200.1 (i.e. Initial Admission to Provider) with an Admission Date less than or equal to the Admission Date of the transfer admission, for the same Program Area Code	
Error	Treatment Episode Cannot Be Closed Unless All Associated Admissions Are Discharged Rule	A Treatment Episode cannot be closed (i.e. the Closed Date is non-blank) unless all associated Admissions records have a corresponding Discharge record	

1.3.1.4 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules				
Source Record Identifier	The provider's internal system identifier for the Provider Treatment Episode record.	Data Type Validation				
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string
		Data Type	Message			
		string	Failed parsing value to type string			
		Length Validation				
<table border="1"> <thead> <tr> <th>Max Length</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>100</td> <td>Value length must be less than or equal to '100'</td> </tr> </tbody> </table>	Max Length	Message	100	Value length must be less than or equal to '100'		
Max Length	Message					
100	Value length must be less than or equal to '100'					
Errors						
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Source Record Identifier Required Rule</td> <td>Source Record Identifier is required</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Source Record Identifier Required Rule	Source Record Identifier is required	
Rule Name	Message	Additional Values in Message				
Source Record Identifier Required Rule	Source Record Identifier is required					
Guidance						
		<table border="1"> <thead> <tr> <th>Note</th> </tr> </thead> <tbody> <tr> <td>The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is</td> </tr> </tbody> </table>	Note	The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is		
Note						
The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is						

unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.

Provider Source Record Identifier

The provider's internal system identifier for the Provider record this Provider Treatment Episode is associated with.

Data Type Validation

Data Type	Message
string	Failed parsing value to type string

Linkage Validation

Description	Required	Message
Must match the Source Record Identifier for a single Provider already set up in the Data Warehouse	Yes	Cannot find matching 'Provider'

Guidance

Note
The Agency ID that is setup in WITS for each provider should be sent in this field.

Client Source Record Identifier

The provider's internal system identifier for the Provider Client record this Provider Treatment Episode is associated with.

Data Type Validation

Data Type	Message
string	Failed parsing value to type string

Linkage Validation

Description	Required	Message
Must match the Source Record Identifier for a single Provider Client already set up in the Data Warehouse for the Provider identified by the Provider Source Record Identifier.	Yes	Cannot find matching 'ProviderClient' OR Cannot find matching 'ProviderClient' because cannot find matching parent 'Provider'

First Contact Date

The earliest date that contact was made with the client with regard to this Provider Treatment Episode.

Data Type Validation

Data Type	Message	Note
date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .

Errors

Rule Name	Message	Additional Values in Message
First Contact Date Required Rule	First Contact Date is required	
First Contact Date Must Be Less Than Or Equal To Current Date Rule	First Contact Date must be less than or equal to the current date	

Residence
County Code

The code indicating the county of the physical address in which the client resides.

Data Type Validation

Data Type	Message
string	Failed parsing value to type string

Vocabulary Validation

Rule	Message
Must be a valid Vocabulary value from the Mississippi Code System, for the County Value Set	Unknown code for type 'County'

Errors

Rule Name	Message	Additional Values in Message
Residence County Required Rule	Residence County is required	

Injection Drug
User Code

Indication whether the client injected drugs or not when the Treatment Episode started.

Data Type Validation

Data Type	Message	Note
string	Failed parsing value to type string	string

Vocabulary Validation

Rule	Message
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Refused Value Set	Unknown code for type 'NoYesRefused'

Errors

Rule Name	Message	Additional Values in Message
Injection Drug User Required Rule	Injection Drug User is required	

<p>Hiv Positive Code</p>	<p>Indication whether the client was tested positive for HIV or not when the Treatment Episode started.</p>	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> <td>string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown Value Set</td> <td>Unknown code for type 'NoYesUnknown'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Hiv Positive Code Required Rule</td> <td>HIV Positive Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	Note	string	Failed parsing value to type string	string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown Value Set	Unknown code for type 'NoYesUnknown'	Rule Name	Message	Additional Values in Message	Hiv Positive Code Required Rule	HIV Positive Code is required	
Data Type	Message	Note																
string	Failed parsing value to type string	string																
Rule	Message																	
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown Value Set	Unknown code for type 'NoYesUnknown'																	
Rule Name	Message	Additional Values in Message																
Hiv Positive Code Required Rule	HIV Positive Code is required																	
<p>Referral Source Code</p>	<p>The code indicating the entity (person or agency) that referred the client to treatment which resulted in this episode (including criminal justice referrals).</p>	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Referral Source Value Set</td> <td>Unknown code for type 'ReferralSource'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Referral Source Code Required Rule</td> <td>Referral Source Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Referral Source Value Set	Unknown code for type 'ReferralSource'	Rule Name	Message	Additional Values in Message	Referral Source Code Required Rule	Referral Source Code is required			
Data Type	Message																	
string	Failed parsing value to type string																	
Rule	Message																	
Must be a valid Vocabulary value from the Mississippi Code System, for the Referral Source Value Set	Unknown code for type 'ReferralSource'																	
Rule Name	Message	Additional Values in Message																
Referral Source Code Required Rule	Referral Source Code is required																	
<p>DUI Offender Code</p>	<p>The code indicating if the client is entering treatment as a DUI offender or not.</p>	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string												
Data Type	Message																	
string	Failed parsing value to type string																	

Vocabulary Validation

Rule	Message
Must be a valid Vocabulary value from the Mississippi Code System , for the DUI Offender Value Set	Unknown code for type 'DUIOffender'

Errors

Rule Name	Message	Additional Values in Message
DUI Offender Code Required Rule	DUI Offender Code is required	

Start Date Date the Provider Treatment Episode started.

Data Type Validation

Data Type	Message	Note
date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .

Errors

Rule Name	Message	Additional Values in Message
Start Date Required Rule	Start Date is required	
Start Date Must Be Less Than Or Equal To Current Date Rule	Start Date must be less than or equal to the current date	
Start Date Must Be Less Than Or Equal To Closed Date Rule	Start Date must be less than or equal to the Closed Date	

Closed Date Date the Provider Treatment Episode was closed.

Data Type Validation

Data Type	Message	Note
date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .

Errors

Rule Name	Message	Additional Values in Message
Closed Date Must Be Less Than Or Equal To Current Date Rule	Closed Date must be less than or equal to the current date	

Guidance

Note
Optional

Discharge Residence County Code

The code indicating the county in which the client resided at their time of final discharge (at closure of episode of care).

Data Type Validation

Data Type	Message
string	Failed parsing value to type string

Vocabulary Validation

Rule	Message
Must be a valid Vocabulary value from the Mississippi Code System, for the County Value Set	Unknown code for type 'County'

Errors

Rule Name	Message	Additional Values in Message
Discharge Residence County Code Required When Episode Closed Rule	If the Treatment Episode is Closed (i.e. the Closed Date is non-blank), the Discharge Residence County Code is required	

Problem Area Code

The code indicating the Problem Area(s) in which the Client is receiving treatment in this Treatment Episode

Data Type Validation

Data Type	Message
string	Failed parsing value to type string

Vocabulary Validation

Rule	Message
Must be a valid Vocabulary value from the Mississippi Code System, for the Problem Area Code Value Set	Unknown code for type 'ProblemAreaCode'

Guidance

Note

Optional

Occupation Code The code indicating the Occupation type of the Client receiving the treatment in this Treatment Episode

Data Type Validation

Data Type Message

string Failed parsing value to type string

Vocabulary Validation

Rule

Message

Must be a valid Vocabulary value from the **Mississippi** Code System, for the **Occupation Code** Value Set

Unknown code for type 'OccupationCode'

Guidance

Note

Optional

1.3.1.5 Admission

This is a Subentity of ProviderTreatmentEpisode.

1.3.1.5.1 Description

There are two circumstances under which an admission record may be submitted during a treatment episode:

- Initial admission – This record is submitted when a client is initially admitted to a provider to start the treatment episode.
- Transfer admission – This record is submitted after an initial admission has been created. A Transfer admission must be submitted when:
 - A client is transferred from one level of care to another within a Provider
 - A client is transferred from one treatment setting to another within a Provider
 - A client is transferred from one Site to another within a Provider.
 - A client changes both Site and Level of Care/Treatment Setting at the same time within a Provider.

If a client's Level of Care/Treatment Setting and Site have not changed, a Transfer Admission should not be submitted.

An Admission will be uniquely identified in the Data Warehouse by the provider's internal identifier for the admission within the treatment episode, known as the Source Record Identifier. Providers are required to submit a unique Source Record Identifier for each Admission within a Provider Treatment Episode. Therefore, no two Admission records can be submitted with the same Source Record Identifier within the same Provider Treatment Episode.

1.3.1.5.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Source Record Identifier

1.3.1.5.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	Must Not Contain More Than One Initial Admission Per Program Area Rule	A Provider Treatment Episode may contain only one Admission record with a Type Code of 1200.1 (i.e. Initial Admission to Provider) for a particular Program Area Code	

Error	Admission Must Have Outcome Measure Rule	Each Admission must have at least one associated Performance Outcome Measure record in the Provider Treatment Episode
Error	Correct Provider Site Identifier Type Rule	Each Substance Use or Mental Health Admission must be related to a Provider Site. The Provider Site Identifier Type Code for that Provider Site must correspond to the Program Area of the Admission (e.g. a Mental Health admission must have a Provider Site Identifier with a Type Code of 10800.2 - Mental Health)
Error	Admission Substance Use Entity Required If Substance Use Program Rule	Admission Substance Use Entity is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment)
Error	Admission Mental Health Entity Required If Mental Health Program Rule	Admission Mental Health Entity is required if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services)
Error	Admission Date Must Be Greater Than Client Date of Birth Rule	The Admission Date must be greater than the Date of Birth for the Client associated with this Treatment Episode.
Error	I-BHS Number Must Be Provided Rule	A Provider Site Identifier with Type Code 10800.1 (I-BHS Substance Abuse) or 10800.2 (I-BHS Mental Health) must be provided for this Provider Site before a client may be admitted at the specified Level of Care or Treatment Setting.
Warning	At Least One Functional Assessment Required For Each Initial Admission Rule	Each Initial Admission in the Provider Treatment Episode should have at least one Functional Assessment related to that Admission.

1.3.1.5.4 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules						
Source Record Identifier	The provider's internal system identifier for the Admission record.	Data Type Validation						
		Data Type Message						
		string Failed parsing value to type string						
		Length Validation						
		Max Length Message						
		100 Value length must be less than or equal to '100'						
		Errors						
		<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Source Record Identifier Required Rule</td> <td>Source Record Identifier is required</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Source Record Identifier Required Rule	Source Record Identifier is required	
Rule Name	Message	Additional Values in Message						
Source Record Identifier Required Rule	Source Record Identifier is required							
		Guidance						
		Note						
		The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.						
Provider Site Source Record Identifier	The provider's internal system identifier for the Provider Site record Admission is associated with.	Data Type Validation						
		Data Type Message						
		string Failed parsing value to type string						
		Linkage Validation						
		<table border="1"> <thead> <tr> <th>Description</th> <th>Required</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must match the Source Record Identifier for a single Provider Site already set up in the Data Warehouse for the Provider identified</td> <td>Yes</td> <td>Cannot find matching 'ProviderSite' OR Cannot find matching 'ProviderSite' because cannot find</td> </tr> </tbody> </table>	Description	Required	Message	Must match the Source Record Identifier for a single Provider Site already set up in the Data Warehouse for the Provider identified	Yes	Cannot find matching 'ProviderSite' OR Cannot find matching 'ProviderSite' because cannot find
Description	Required	Message						
Must match the Source Record Identifier for a single Provider Site already set up in the Data Warehouse for the Provider identified	Yes	Cannot find matching 'ProviderSite' OR Cannot find matching 'ProviderSite' because cannot find						

Field	Description	Validation Rules															
		<p>by the Provider Treatment Episode's Provider Source Record Identifier matching parent 'Provider'</p> <p>Guidance</p> <p>Note</p> <p>The Facility ID that is setup in WITS for each provider should be sent in this field.</p>															
Admission Date	The date when the client was initially admitted into a provider level of care / treatment setting to receive the first treatment or service; or, whenever the client was transferred from one level of care / treatment setting to another within the provider to receive other treatment or service.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>date</td> <td>Failed parsing value to type Date</td> <td>Refer to the Appendix document for Common Data Types.</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Admission Date Required Rule</td> <td>Admission Date is required</td> <td></td> </tr> <tr> <td>Admission Date Must Be Less Than Or Equal To Current Date Rule</td> <td>Admission Date must be less than or equal to the current date</td> <td></td> </tr> </tbody> </table>	Data Type	Message	Note	date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .	Rule Name	Message	Additional Values in Message	Admission Date Required Rule	Admission Date is required		Admission Date Must Be Less Than Or Equal To Current Date Rule	Admission Date must be less than or equal to the current date	
Data Type	Message	Note															
date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .															
Rule Name	Message	Additional Values in Message															
Admission Date Required Rule	Admission Date is required																
Admission Date Must Be Less Than Or Equal To Current Date Rule	Admission Date must be less than or equal to the current date																
Type Code	The code indicating the type of admission.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Admission Type Value Set</td> <td>Unknown code for type 'AdmissionType'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Type Code Required Rule</td> <td>Type Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Admission Type Value Set	Unknown code for type 'AdmissionType'	Rule Name	Message	Additional Values in Message	Type Code Required Rule	Type Code is required		
Data Type	Message																
string	Failed parsing value to type string																
Rule	Message																
Must be a valid Vocabulary value from the Mississippi Code System , for the Admission Type Value Set	Unknown code for type 'AdmissionType'																
Rule Name	Message	Additional Values in Message															
Type Code Required Rule	Type Code is required																

Field	Description	Validation Rules														
Program Area Code	The code indicating the program area in which the client is being admitted for treatment.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="663 302 863 350">Data Type</th> <th data-bbox="863 302 1986 350">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="663 350 863 399">string</td> <td data-bbox="863 350 1986 399">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="663 492 1247 540">Rule</th> <th data-bbox="1247 492 1986 540">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="663 540 1247 695">Must be a valid Vocabulary value from the Mississippi Code System, for the Program Area Value Set</td> <td data-bbox="1247 540 1986 695">Unknown code for type 'ProgramArea'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="663 789 1146 837">Rule Name</th> <th data-bbox="1146 789 1629 837">Message</th> <th data-bbox="1629 789 1986 837">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="663 837 1146 886">Program Area Required Rule</td> <td data-bbox="1146 837 1629 886">Program Area is required</td> <td data-bbox="1629 837 1986 886"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Program Area Value Set	Unknown code for type 'ProgramArea'	Rule Name	Message	Additional Values in Message	Program Area Required Rule	Program Area is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Program Area Value Set	Unknown code for type 'ProgramArea'															
Rule Name	Message	Additional Values in Message														
Program Area Required Rule	Program Area is required															
Codependent Code	The code indicating whether treatment is for a client's primary problem in this program area (i.e. No) or arises from the client's relationship with someone with a problem in this program area (i.e. Yes).	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="663 935 863 984">Data Type</th> <th data-bbox="863 935 1986 984">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="663 984 863 1032">string</td> <td data-bbox="863 984 1986 1032">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="663 1125 1247 1174">Rule</th> <th data-bbox="1247 1125 1986 1174">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="663 1174 1247 1255">Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td data-bbox="1247 1174 1986 1255">Unknown code for type 'NoYes'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="663 1349 1146 1398">Rule Name</th> <th data-bbox="1146 1349 1629 1398">Message</th> <th data-bbox="1629 1349 1986 1398">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="663 1398 1146 1511">Codependent Required If Substance Use Program Rule</td> <td data-bbox="1146 1398 1629 1511">Codependent is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment)</td> <td data-bbox="1629 1398 1986 1511"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'	Rule Name	Message	Additional Values in Message	Codependent Required If Substance Use Program Rule	Codependent is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment)	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'															
Rule Name	Message	Additional Values in Message														
Codependent Required If Substance Use Program Rule	Codependent is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment)															

Field	Description	Validation Rules														
		<p>Codependent Must Be Valid Value Rule Codependent must be 7400.0 (i.e. No) if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services).</p>														
Cooccurring Mental And Substance Use Disorders Code	The code indicating whether the client has co-occurring mental and substance use disorders.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown Value Set</td> <td>Unknown code for type 'NoYesUnknown'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Cooccurring Mental And Substance Use Disorders Required Rule</td> <td>Cooccurring Mental And Substance Use Disorders Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown Value Set	Unknown code for type 'NoYesUnknown'	Rule Name	Message	Additional Values in Message	Cooccurring Mental And Substance Use Disorders Required Rule	Cooccurring Mental And Substance Use Disorders Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown Value Set	Unknown code for type 'NoYesUnknown'															
Rule Name	Message	Additional Values in Message														
Cooccurring Mental And Substance Use Disorders Required Rule	Cooccurring Mental And Substance Use Disorders Code is required															
Days Waiting To Enter Treatment Known Code	The code indicating whether the days waiting to enter treatment is known.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'						
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'															

Field	Description	Validation Rules																
		<p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Days Waiting To Enter Treatment Known Code Required If Initial Admission Rule</td> <td>Days Waiting To Enter Treatment Known Code is required if the Admission's Type Code is 1200.1 (i.e. Initial Admission to Provider)</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Days Waiting To Enter Treatment Known Code Required If Initial Admission Rule	Days Waiting To Enter Treatment Known Code is required if the Admission's Type Code is 1200.1 (i.e. Initial Admission to Provider)											
Rule Name	Message	Additional Values in Message																
Days Waiting To Enter Treatment Known Code Required If Initial Admission Rule	Days Waiting To Enter Treatment Known Code is required if the Admission's Type Code is 1200.1 (i.e. Initial Admission to Provider)																	
Days Waiting To Enter Treatment Number	A number indicating the number of days from the first contact or request for a treatment service until the client was admitted and the first clinical service was provided.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>integer</td> <td>Failed parsing value to type integer</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Days Waiting To Enter Treatment Number Required If Known Rule</td> <td>Days Waiting To Enter Treatment Number is required if Days Waiting To Enter Treatment Known Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> <tr> <td>No Days Waiting To Enter Treatment Number If Not Known Rule</td> <td>Days Waiting To Enter Treatment Number must not be provided unless Days Waiting To Enter Treatment Known Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> <tr> <td>Days Waiting To Enter Treatment Number Must Be Valid Value Rule</td> <td>Days Waiting To Enter Treatment Number must be a valid integer greater than or equal to zero</td> <td></td> </tr> </tbody> </table>	Data Type	Message	integer	Failed parsing value to type integer	Rule Name	Message	Additional Values in Message	Days Waiting To Enter Treatment Number Required If Known Rule	Days Waiting To Enter Treatment Number is required if Days Waiting To Enter Treatment Known Code is 7400.1 (i.e. Yes)		No Days Waiting To Enter Treatment Number If Not Known Rule	Days Waiting To Enter Treatment Number must not be provided unless Days Waiting To Enter Treatment Known Code is 7400.1 (i.e. Yes)		Days Waiting To Enter Treatment Number Must Be Valid Value Rule	Days Waiting To Enter Treatment Number must be a valid integer greater than or equal to zero	
Data Type	Message																	
integer	Failed parsing value to type integer																	
Rule Name	Message	Additional Values in Message																
Days Waiting To Enter Treatment Number Required If Known Rule	Days Waiting To Enter Treatment Number is required if Days Waiting To Enter Treatment Known Code is 7400.1 (i.e. Yes)																	
No Days Waiting To Enter Treatment Number If Not Known Rule	Days Waiting To Enter Treatment Number must not be provided unless Days Waiting To Enter Treatment Known Code is 7400.1 (i.e. Yes)																	
Days Waiting To Enter Treatment Number Must Be Valid Value Rule	Days Waiting To Enter Treatment Number must be a valid integer greater than or equal to zero																	
Awaiting Treatment Location Code	For patients that waited for treatment, the location where they were awaiting treatment	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Errors</p>	Data Type	Message	string	Failed parsing value to type string												
Data Type	Message																	
string	Failed parsing value to type string																	

Field	Description	Validation Rules		
		Rule Name	Message	Additional Values in Message
		Awaiting Treatment Location Code Is Required Rule	Awaiting Treatment Location Code is required if Days Waiting to Enter Treatment is required if Days Waiting to Enter Treatment is populated.	

1.3.1.5.5 AdmissionSubstanceUse

This is a Subentity of Admission.

1.3.1.5.5.1 *Description*

An Admission Substance Use record represents additional Substance Use related information for an Admission. A single Admission record may contain zero or one of these Admission Substance Use records. If any fields in this section are required, then the section must be included. An Admission Substance Use record will be uniquely identified in the Data Warehouse by the Admission it supports.

1.3.1.5.5.2 *Key Fields*

There are no key fields for this entity.

1.3.1.5.5.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules							
Prior Substance Use Episode Known Code	The code indicating whether the number of previous treatment episodes the client received in any substance use treatment program is known.	Data Type Validation							
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string			
		Data Type	Message						
		string	Failed parsing value to type string						
Vocabulary Validation									
<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'					
Rule	Message								
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'								
Errors									
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Prior Substance Use Episode Known Code Required If Substance Use Program Rule</td> <td>Prior Substance Use Episode Known Code is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment).</td> <td></td> </tr> </tbody> </table>			Rule Name	Message	Additional Values in Message	Prior Substance Use Episode Known Code Required If Substance Use Program Rule	Prior Substance Use Episode Known Code is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment).		
Rule Name	Message	Additional Values in Message							
Prior Substance Use Episode Known Code Required If Substance Use Program Rule	Prior Substance Use Episode Known Code is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment).								
Prior Substance Use Episode Count	A number indicating the number of previous treatment episodes the client received in any substance use treatment program.	Data Type Validation							
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>integer</td> <td>Failed parsing value to type integer</td> </tr> </tbody> </table>	Data Type	Message	integer	Failed parsing value to type integer			
		Data Type	Message						
		integer	Failed parsing value to type integer						
Errors									
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Prior Substance Use Episode Count Required If Known Rule</td> <td>Prior Substance Use Episode Count is required if Prior Substance Use Episode Known Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> <tr> <td>No Prior Substance Use Episode Count If Not Known Rule</td> <td>Prior Substance Use Episode Count must not be provided unless Prior Substance Use Episode Known Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Prior Substance Use Episode Count Required If Known Rule	Prior Substance Use Episode Count is required if Prior Substance Use Episode Known Code is 7400.1 (i.e. Yes)		No Prior Substance Use Episode Count If Not Known Rule	Prior Substance Use Episode Count must not be provided unless Prior Substance Use Episode Known Code is 7400.1 (i.e. Yes)	
Rule Name	Message	Additional Values in Message							
Prior Substance Use Episode Count Required If Known Rule	Prior Substance Use Episode Count is required if Prior Substance Use Episode Known Code is 7400.1 (i.e. Yes)								
No Prior Substance Use Episode Count If Not Known Rule	Prior Substance Use Episode Count must not be provided unless Prior Substance Use Episode Known Code is 7400.1 (i.e. Yes)								

Field	Description	Validation Rules														
		<p>Prior Substance Use Episode Count Must Be Valid Value Rule Prior Substance Use Episode Count must be a valid integer greater than or equal to zero</p>														
Level Of Care Code	The code indicating the level of care in which the client is being admitted.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Level Of Care Value Set</td> <td>Unknown code for type 'ASAMLevelOfCare'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Substance Use Level Of Care Required If Substance Use Program Rule</td> <td>Substance Use Level of Care is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment).</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Level Of Care Value Set	Unknown code for type 'ASAMLevelOfCare'	Rule Name	Message	Additional Values in Message	Substance Use Level Of Care Required If Substance Use Program Rule	Substance Use Level of Care is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment).	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Level Of Care Value Set	Unknown code for type 'ASAMLevelOfCare'															
Rule Name	Message	Additional Values in Message														
Substance Use Level Of Care Required If Substance Use Program Rule	Substance Use Level of Care is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment).															

1.3.1.5.5.4 ASAM

This is a Subentity of Admission Substance Use

1.3.1.5.5.4.1 Description

An ASAM record contains information that is used to determine the appropriate level of care for the patient. While the values in these fields can be recorded, the calculation to determine Level of Care cannot be recorded in or performed by the Data Warehouse.

1.3.1.5.5.4.2 Key Fields

There are no key fields for this entity.

1.3.1.5.5.4.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	Asam Sub Entity Required Rule	ASAM sub-entity is required.	
Error	All Dimensions Must Be Included In An Asam Record Rule.	An ASAM record must contain all Dimensions.	

1.3.1.5.5.4.4 Fields

There are no fields for this entity

1.3.1.5.5.4.5 Dimension

This is a Subentity of Admission Substance Use

1.3.1.5.5.4.5.1 Description

The ASAM Dimension entity contains information about data relating to a particular ASAM Dimension.

1.3.1.5.5.4.5.2 Key Field

The field in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record is:

Field

Dimension Number Code

1.3.1.5.5.4.5.3 Fields

Field	Description	Validation Rules								
Dimension Number Code	The Dimension for which the associated risk was recorded	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM</td> <td>Unknown code for type 'ASAMDimension'</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM	Unknown code for type 'ASAMDimension'
Data Type	Message									
string	Failed parsing value to type string									
Rule	Message									
Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM	Unknown code for type 'ASAMDimension'									

Field	Description	Validation Rules																	
		<p>Dimension Value Set</p> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Dimension Number Code Is Required Rule</td> <td>Dimension Number Code is required.</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Dimension Number Code Is Required Rule	Dimension Number Code is required.												
Rule Name	Message	Additional Values in Message																	
Dimension Number Code Is Required Rule	Dimension Number Code is required.																		
Substance Use Risk Rating Code	The patient's current level of Substance Use Risk for the specified Dimension	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Rating Value Set</td> <td>Unknown code for type 'ASAMRiskRating'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Substance Use Risk Rating Code Is Required Rule</td> <td>Substance Use Risk Rating is required</td> <td></td> </tr> <tr> <td>Not Applicable Only Valid On Asam Dimension 2 Rule</td> <td>Not Applicable is only valid on ASAM Dimension 2.</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Rating Value Set	Unknown code for type 'ASAMRiskRating'	Rule Name	Message	Additional Values in Message	Substance Use Risk Rating Code Is Required Rule	Substance Use Risk Rating is required		Not Applicable Only Valid On Asam Dimension 2 Rule	Not Applicable is only valid on ASAM Dimension 2.	
Data Type	Message																		
string	Failed parsing value to type string																		
Rule	Message																		
Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Rating Value Set	Unknown code for type 'ASAMRiskRating'																		
Rule Name	Message	Additional Values in Message																	
Substance Use Risk Rating Code Is Required Rule	Substance Use Risk Rating is required																		
Not Applicable Only Valid On Asam Dimension 2 Rule	Not Applicable is only valid on ASAM Dimension 2.																		
Substance Use Risk Sub Rating Code	For a Substance Use Risk Level of 04, indicates whether immediate action is needed.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Sub</td> <td>Unknown code for type 'ASAMRiskSubRating'</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Sub	Unknown code for type 'ASAMRiskSubRating'									
Data Type	Message																		
string	Failed parsing value to type string																		
Rule	Message																		
Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Sub	Unknown code for type 'ASAMRiskSubRating'																		

Field	Description	Validation Rules																				
		<p>Rating Value Set</p> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Substance Use Risk Sub Rating Code Is Required Rule</td> <td>Substance Use Risk Sub Rating Code is required if Substance Use Risk Level is 04 and Dimension is 4, 5, or 6.</td> <td></td> </tr> <tr> <td>Substance Use Risk Sub Rating Code Not Used For Dimensions 1 to 3 Rule</td> <td>Substance Use Risk Sub Rating Code must not be populated if Dimension is 1, 2, or 3.</td> <td></td> </tr> <tr> <td>Substance Use Risk Sub Rating Code Not Used For Risk Level 01 to 03 Rule</td> <td>Substance Use Risk Sub Rating Code must not be populated if Substance Use Risk Level Code is 01, 02, or 03.</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Substance Use Risk Sub Rating Code Is Required Rule	Substance Use Risk Sub Rating Code is required if Substance Use Risk Level is 04 and Dimension is 4, 5, or 6.		Substance Use Risk Sub Rating Code Not Used For Dimensions 1 to 3 Rule	Substance Use Risk Sub Rating Code must not be populated if Dimension is 1, 2, or 3.		Substance Use Risk Sub Rating Code Not Used For Risk Level 01 to 03 Rule	Substance Use Risk Sub Rating Code must not be populated if Substance Use Risk Level Code is 01, 02, or 03.									
Rule Name	Message	Additional Values in Message																				
Substance Use Risk Sub Rating Code Is Required Rule	Substance Use Risk Sub Rating Code is required if Substance Use Risk Level is 04 and Dimension is 4, 5, or 6.																					
Substance Use Risk Sub Rating Code Not Used For Dimensions 1 to 3 Rule	Substance Use Risk Sub Rating Code must not be populated if Dimension is 1, 2, or 3.																					
Substance Use Risk Sub Rating Code Not Used For Risk Level 01 to 03 Rule	Substance Use Risk Sub Rating Code must not be populated if Substance Use Risk Level Code is 01, 02, or 03.																					
Mental Health Risk Rating Code	The patient's current level of Mental Health Risk for the specified Dimension	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Rating Value Set</td> <td>Unknown code for type 'ASAMRiskRating'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Mental Health Risk Rating Code Is Not To Be Used On Dimension 1 Or 2 Rule</td> <td>Mental Health Risk Rating Code must not be used on Dimension 1 or 2.</td> <td></td> </tr> <tr> <td>Mental Health Risk Rating Code Is Required On Dimension 3 Rule</td> <td>Mental Health Risk Rating Code is required if Dimension is 3.</td> <td></td> </tr> <tr> <td>Mental Health Risk Rating Code Conditionally Required On Dimension 4 To 6 Rule</td> <td>Mental Health Risk Rating Code is required if Dimension is 4, 5, or 6 and the Mental Health Risk Rating Code on</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Rating Value Set	Unknown code for type 'ASAMRiskRating'	Rule Name	Message	Additional Values in Message	Mental Health Risk Rating Code Is Not To Be Used On Dimension 1 Or 2 Rule	Mental Health Risk Rating Code must not be used on Dimension 1 or 2.		Mental Health Risk Rating Code Is Required On Dimension 3 Rule	Mental Health Risk Rating Code is required if Dimension is 3.		Mental Health Risk Rating Code Conditionally Required On Dimension 4 To 6 Rule	Mental Health Risk Rating Code is required if Dimension is 4, 5, or 6 and the Mental Health Risk Rating Code on	
Data Type	Message																					
string	Failed parsing value to type string																					
Rule	Message																					
Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Rating Value Set	Unknown code for type 'ASAMRiskRating'																					
Rule Name	Message	Additional Values in Message																				
Mental Health Risk Rating Code Is Not To Be Used On Dimension 1 Or 2 Rule	Mental Health Risk Rating Code must not be used on Dimension 1 or 2.																					
Mental Health Risk Rating Code Is Required On Dimension 3 Rule	Mental Health Risk Rating Code is required if Dimension is 3.																					
Mental Health Risk Rating Code Conditionally Required On Dimension 4 To 6 Rule	Mental Health Risk Rating Code is required if Dimension is 4, 5, or 6 and the Mental Health Risk Rating Code on																					

Field	Description	Validation Rules																				
		Dimension 3 is 2 or higher.																				
Mental Health Risk Sub Rating Code	For a Mental Health Risk Level of 04, indicates whether immediate action is needed.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the ASAM Risk Sub Rating Value Set</td> <td>Unknown code for type 'ASAMRiskSubRating'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Mental Health Risk Sub Rating Code Is Required Rule</td> <td>Mental Health Risk Sub Rating Code is required if Mental Health Risk is 04 and Dimension is 4, 5, or 6.</td> <td></td> </tr> <tr> <td>Mental Health Risk Sub Rating Code Not Used For Dimension 3 Rule</td> <td>Mental Health Risk Sub Rating Code must not be populated if Dimension is 3.</td> <td></td> </tr> <tr> <td>Mental Health Risk Sub Rating Code Not Used For Risk Level 01 To 03 Rule</td> <td>Mental Health Risk Sub Rating Code must not be populated if Mental Health Risk Level Code is 01, 02, or 03.</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the ASAM Risk Sub Rating Value Set	Unknown code for type 'ASAMRiskSubRating'	Rule Name	Message	Additional Values in Message	Mental Health Risk Sub Rating Code Is Required Rule	Mental Health Risk Sub Rating Code is required if Mental Health Risk is 04 and Dimension is 4, 5, or 6.		Mental Health Risk Sub Rating Code Not Used For Dimension 3 Rule	Mental Health Risk Sub Rating Code must not be populated if Dimension is 3.		Mental Health Risk Sub Rating Code Not Used For Risk Level 01 To 03 Rule	Mental Health Risk Sub Rating Code must not be populated if Mental Health Risk Level Code is 01, 02, or 03.	
Data Type	Message																					
string	Failed parsing value to type string																					
Rule	Message																					
Must be a valid Vocabulary value from the Mississippi Code System , for the ASAM Risk Sub Rating Value Set	Unknown code for type 'ASAMRiskSubRating'																					
Rule Name	Message	Additional Values in Message																				
Mental Health Risk Sub Rating Code Is Required Rule	Mental Health Risk Sub Rating Code is required if Mental Health Risk is 04 and Dimension is 4, 5, or 6.																					
Mental Health Risk Sub Rating Code Not Used For Dimension 3 Rule	Mental Health Risk Sub Rating Code must not be populated if Dimension is 3.																					
Mental Health Risk Sub Rating Code Not Used For Risk Level 01 To 03 Rule	Mental Health Risk Sub Rating Code must not be populated if Mental Health Risk Level Code is 01, 02, or 03.																					

1.3.1.5.5.4.5.4 RiskDomain

This is a Subentity of Dimension

1.3.1.5.5.4.5.4.1 Description

The RiskDomain entity contains information about data relating to a particular ASAM dimension.

1.3.1.5.5.4.5.4.2 Key Fields

There are no key fields for this entity

1.3.1.5.5.4.5.4.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	Risk Domain Required Rule	Dimension must contain a RiskDomain object if Dimension is 3.	

1.3.1.5.5.4.5.4.4 Fields

Field	Description	Validation Rules						
Danger Lethality Code	Whether or not this risk is applicable to the Danger/Lethality domain	Data Type Validation						
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string		
		Data Type	Message					
		string	Failed parsing value to type string					
Vocabulary Validation								
<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'				
Rule	Message							
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'							
		Errors						
		<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Danger Lethality Code Is Required Rule</td> <td>Danger Lethality Code is a required field.</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Danger Lethality Code Is Required Rule	Danger Lethality Code is a required field.	
Rule Name	Message	Additional Values in Message						
Danger Lethality Code Is Required Rule	Danger Lethality Code is a required field.							
Interference With Addiction Recovery Efforts Code	Whether or not this risk is applicable to the Addiction Recovery domain	Data Type Validation						
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string		
		Data Type	Message					
		string	Failed parsing value to type string					
Vocabulary Validation								
<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'				
Rule	Message							
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'							
		Errors						
		<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Interference With Addiction Recovery</td> <td>Interference With Addiction Recovery</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Interference With Addiction Recovery	Interference With Addiction Recovery	
Rule Name	Message	Additional Values in Message						
Interference With Addiction Recovery	Interference With Addiction Recovery							

Field	Description	Validation Rules														
		<table border="1"> <tr> <td>Efforts Code Is Required Rule</td> <td>Efforts Code is a required field.</td> </tr> </table>	Efforts Code Is Required Rule	Efforts Code is a required field.												
Efforts Code Is Required Rule	Efforts Code is a required field.															
Social Functioning Code	Whether or not this risk is applicable to the Social Functioning Domain	<p>Data Type Validation</p> <table border="1"> <tr> <th>Data Type</th> <th>Message</th> </tr> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <th>Rule</th> <th>Message</th> </tr> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Social Functioning Code Is Required Rule</td> <td>Social Functioning Code is a required field.</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'	Rule Name	Message	Additional Values in Message	Social Functioning Code Is Required Rule	Social Functioning Code is a required field.	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'															
Rule Name	Message	Additional Values in Message														
Social Functioning Code Is Required Rule	Social Functioning Code is a required field.															
Ability For Self Care Code	Whether or not this risk is applicable to the Ability For Self Care Domain	<p>Data Type Validation</p> <table border="1"> <tr> <th>Data Type</th> <th>Message</th> </tr> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </table> <p>Vocabulary Validation</p> <table border="1"> <tr> <th>Rule</th> <th>Message</th> </tr> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Ability For Self Care Code Is Required Rule</td> <td>Ability For Self Care Code is a required field.</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'	Rule Name	Message	Additional Values in Message	Ability For Self Care Code Is Required Rule	Ability For Self Care Code is a required field.	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'															
Rule Name	Message	Additional Values in Message														
Ability For Self Care Code Is Required Rule	Ability For Self Care Code is a required field.															
Course of Illness Code	Whether or not this risk is applicable to the Course of	<p>Data Type Validation</p> <table border="1"> <tr> <th>Data Type</th> <th>Message</th> </tr> </table>	Data Type	Message												
Data Type	Message															

Field	Description	Validation Rules		
Illness Domain		string	Failed parsing value to type string	
Vocabulary Validation				
		Rule	Message	
		Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'	
Errors				
		Rule Name	Message	Additional Values in Message
		Course of Illness Code Is Required Rule	Course of Illness Code is a required field.	

1.3.1.5.6 AdmissionMentalHealth

This is a Subentity of Admission.

1.3.1.5.6.1 *Description*

An Admission Mental Health record represents additional Mental Health related information for an Admission. A single Admission record may contain zero or one of these Admission Mental Health records. If any fields in this section are required, then the section must be included. An Admission Mental Health record will be uniquely identified in the Data Warehouse by the Admission it supports.

1.3.1.5.6.2 *Key Fields*

There are no key fields for this entity.

1.3.1.5.6.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules						
Treatment Setting Code	The code indicating the treatment setting in which the client is being admitted.	Data Type Validation						
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string		
		Data Type	Message					
		string	Failed parsing value to type string					
Vocabulary Validation								
<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Mental Health Treatment Setting Value Set</td> <td>Unknown code for type 'MentalHealthTreatmentSetting'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Mental Health Treatment Setting Value Set	Unknown code for type 'MentalHealthTreatmentSetting'				
Rule	Message							
Must be a valid Vocabulary value from the Mississippi Code System , for the Mental Health Treatment Setting Value Set	Unknown code for type 'MentalHealthTreatmentSetting'							
		Errors						
		<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Mental Health Treatment Setting Required If MH Program Rule</td> <td>Mental Health Treatment Setting is required if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services).</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Mental Health Treatment Setting Required If MH Program Rule	Mental Health Treatment Setting is required if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services).	
Rule Name	Message	Additional Values in Message						
Mental Health Treatment Setting Required If MH Program Rule	Mental Health Treatment Setting is required if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services).							

1.3.1.5.7 Discharge

This is a Subentity of Admission.

1.3.1.5.7.1 Description

A discharge will be uniquely identified in the Data Warehouse by the provider's internal identifier for the discharge within the treatment episode, known as the Source Record Identifier. Therefore, no two Discharge records can be submitted with the same Source Record Identifier within the same Provider Treatment Episode.

1.3.1.5.7.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Source Record Identifier

1.3.1.5.7.3 Additional Business Rules

Rule Type	Rule Name	Message
Error	Discharge Must Have Single Outcome Measure Rule	Each Discharge must have exactly one associated Performance Outcome Measure record in the Provider Treatment Episode
Error	Discharge Date Must be Before Or The Same As Treatment Episode Closed Date Rule	Discharge Date cannot be after the Treatment Episode Closed Date

1.3.1.5.7.4 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Source Record Identifier	The provider’s internal system identifier for the Discharge record.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Length Validation
		Max Length Message
100 Value length must be less than or equal to ‘100’		
Source Record Identifier		Errors
		Rule Name Message Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required
		Guidance
		Note
		The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.
Discharge Date	The date when the client was discharged from the provider’s treatment or from a level of care / treatment service setting.	Data Type Validation
		Data Type Message Note
		date Failed parsing value to type Date Refer to the Appendix document for Common Data Types .
		Errors
		Rule Name Message Additional Values in Message
Discharge Date Required Rule Discharge Date is required		
Discharge Date Must Be Less Than Or Discharge Date must be less than or		

Field	Description	Validation Rules																		
		<table border="1"> <tr> <td>Equal To Current Date Rule</td> <td>equal to the current date</td> </tr> <tr> <td>Discharge Date Must Be Greater Than Or Equal To Admission Date Rule</td> <td>Discharge Date must be greater than or equal to the Admission Date.</td> </tr> </table>	Equal To Current Date Rule	equal to the current date	Discharge Date Must Be Greater Than Or Equal To Admission Date Rule	Discharge Date must be greater than or equal to the Admission Date.														
Equal To Current Date Rule	equal to the current date																			
Discharge Date Must Be Greater Than Or Equal To Admission Date Rule	Discharge Date must be greater than or equal to the Admission Date.																			
Last Contact Date	The date when the client last received a treatment service or had any contact with the provider.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>date</td> <td>Failed parsing value to type Date</td> <td>Refer to the Appendix document for Common Data Types.</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Last Contact Date Required Rule</td> <td>Last Contact Date is required</td> <td></td> </tr> <tr> <td>Last Contact Date Must Be Less Than Or Equal To Current Date Rule</td> <td>Last Contact Date must be less than or equal to the current date</td> <td></td> </tr> <tr> <td>Last Contact Date Must Be Greater Than Or Equal To Admission Date Rule</td> <td>Last Contact Date must be greater than or equal to the Admission Date.</td> <td></td> </tr> </tbody> </table>	Data Type	Message	Note	date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .	Rule Name	Message	Additional Values in Message	Last Contact Date Required Rule	Last Contact Date is required		Last Contact Date Must Be Less Than Or Equal To Current Date Rule	Last Contact Date must be less than or equal to the current date		Last Contact Date Must Be Greater Than Or Equal To Admission Date Rule	Last Contact Date must be greater than or equal to the Admission Date.	
Data Type	Message	Note																		
date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .																		
Rule Name	Message	Additional Values in Message																		
Last Contact Date Required Rule	Last Contact Date is required																			
Last Contact Date Must Be Less Than Or Equal To Current Date Rule	Last Contact Date must be less than or equal to the current date																			
Last Contact Date Must Be Greater Than Or Equal To Admission Date Rule	Last Contact Date must be greater than or equal to the Admission Date.																			
Discharge Reason Code	The code indicating the outcome of the treatment episode or the reason for transfer or discontinuance of treatment.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Discharge Reason Value Set</td> <td>Unknown code for type 'DischargeReason'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Discharge Reason Required Rule</td> <td>Discharge Reason Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Discharge Reason Value Set	Unknown code for type 'DischargeReason'	Rule Name	Message	Additional Values in Message	Discharge Reason Required Rule	Discharge Reason Code is required					
Data Type	Message																			
string	Failed parsing value to type string																			
Rule	Message																			
Must be a valid Vocabulary value from the Mississippi Code System, for the Discharge Reason Value Set	Unknown code for type 'DischargeReason'																			
Rule Name	Message	Additional Values in Message																		
Discharge Reason Required Rule	Discharge Reason Code is required																			

1.3.1.5.8 Functional Assessment

This is a Subentity of Admission.

1.3.1.5.8.1 Description

The Submitting Treatment Episode Data section above describes the general circumstances under which functional assessment data must be submitted. Collecting functional assessment result data allows measuring the result of the continuous collaborative process that combines observing, asking meaningful questions, listening to family stories, and analyzing individual child skills and behaviors within naturally occurring everyday routines and activities across multiple situations and settings. Over the course of a treatment episode, functional assessment data will be submitted many times. Functional Assessment data is always associated directly with an Admission.

When submitting XML data for Functional Assessments: A single <Admission> entity may contain zero or one <Functional Assessments> records (Note the plural – Assessments), which acts as a container for <Functional Assessment> entities. **Note that there may be additional Business Rules that indicate when Functional Assessment records are required.**

Pseudo-XML Example:

```
<Admission>
  <Functional Assessments>
    <Functional Assessment>
      [Data for first Functional Assessment]
    </Functional Assessment>
    <Functional Assessment>
      [Data for second Functional Assessment]
    </Functional Assessment>
  </Functional Assessments>
</Admission>
```

A Functional Assessment will be uniquely identified in the Data Warehouse by the provider's internal identifier for the Functional Assessment within the Admission, known as the Source Record Identifier. Providers are required to submit a unique Source Record Identifier for each Functional Assessment within an Admission. Therefore, no two Functional Assessment records can be submitted with the same Source Record Identifier within the same Admission.

1.3.1.5.8.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Source Record Identifier

1.3.1.5.8.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Source Record Identifier	The provider's internal system identifier for the Functional Assessment record.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Length Validation
		Max Length Message
100 Value length must be less than or equal to '100'		
		Errors
		Rule Name Message Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required
		Guidance
		Note The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.
Type Code	The code indicating the type of functional assessment.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Functional Assessment Type Value Set Unknown code for type 'FunctionalAssessmentType'

Field	Description	Validation Rules																		
		<p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Type Code Required Rule</td> <td>Type Code is required</td> <td></td> </tr> </tbody> </table> <p>Warnings</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Type Code Should Be Valid For Age Rule</td> <td>Type Code should be valid based on the client's age, which is calculated based on their Birth Date and the Functional Assessment Completed Date.</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Type Code Required Rule	Type Code is required		Rule Name	Message	Additional Values in Message	Type Code Should Be Valid For Age Rule	Type Code should be valid based on the client's age, which is calculated based on their Birth Date and the Functional Assessment Completed Date.							
Rule Name	Message	Additional Values in Message																		
Type Code Required Rule	Type Code is required																			
Rule Name	Message	Additional Values in Message																		
Type Code Should Be Valid For Age Rule	Type Code should be valid based on the client's age, which is calculated based on their Birth Date and the Functional Assessment Completed Date.																			
Completed Date	The date functional assessment was completed.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>date</td> <td>Failed parsing value to type Date</td> <td>Refer to the Appendix document for Common Data Types.</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Completed Date Required Unless No Assessment Rule</td> <td>Completed Date is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)</td> <td></td> </tr> <tr> <td>Completed Date Must Be Less Than Or Equal To Current Date Rule</td> <td>Completed Date must be less than or equal to the current date</td> <td></td> </tr> <tr> <td>Completed Date Must Be Greater Than Or Equal To Admission Date Rule</td> <td>Completed Date must be greater than or equal to the Admission Date.</td> <td>Admission Date</td> </tr> </tbody> </table>	Data Type	Message	Note	date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .	Rule Name	Message	Additional Values in Message	Completed Date Required Unless No Assessment Rule	Completed Date is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)		Completed Date Must Be Less Than Or Equal To Current Date Rule	Completed Date must be less than or equal to the current date		Completed Date Must Be Greater Than Or Equal To Admission Date Rule	Completed Date must be greater than or equal to the Admission Date.	Admission Date
Data Type	Message	Note																		
date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .																		
Rule Name	Message	Additional Values in Message																		
Completed Date Required Unless No Assessment Rule	Completed Date is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)																			
Completed Date Must Be Less Than Or Equal To Current Date Rule	Completed Date must be less than or equal to the current date																			
Completed Date Must Be Greater Than Or Equal To Admission Date Rule	Completed Date must be greater than or equal to the Admission Date.	Admission Date																		
Score Number	The number indicating the client's score on the functional assessment.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>decimal</td> <td>Failed parsing value to type decimal</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> </tbody> </table>	Data Type	Message	decimal	Failed parsing value to type decimal	Rule Name	Message	Additional Values in Message											
Data Type	Message																			
decimal	Failed parsing value to type decimal																			
Rule Name	Message	Additional Values in Message																		

Field	Description	Validation Rules														
		<table border="1"> <tr> <td>Score Number Required Unless No Assessment Rule</td> <td>Score Number is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)</td> </tr> <tr> <td>Score Number Must Be Valid For Type Score Range Rule</td> <td>Score Number must fall within the minimum and maximum score allowed for the Functional Assessment Type Code unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment). See the Functional Assessment Type Value Set in the Vocabulary to see which score ranges are allowed for each type.</td> </tr> <tr> <td>Score Number Must Be Valid Data Type For Type Rule</td> <td>Score Number must be in the correct numeric format for the Functional Assessment Type unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment). See the Functional Assessment Type Value Set in the Vocabulary to see which score data types are allowed for each type.</td> </tr> </table>	Score Number Required Unless No Assessment Rule	Score Number is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)	Score Number Must Be Valid For Type Score Range Rule	Score Number must fall within the minimum and maximum score allowed for the Functional Assessment Type Code unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment). See the Functional Assessment Type Value Set in the Vocabulary to see which score ranges are allowed for each type.	Score Number Must Be Valid Data Type For Type Rule	Score Number must be in the correct numeric format for the Functional Assessment Type unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment). See the Functional Assessment Type Value Set in the Vocabulary to see which score data types are allowed for each type.								
Score Number Required Unless No Assessment Rule	Score Number is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)															
Score Number Must Be Valid For Type Score Range Rule	Score Number must fall within the minimum and maximum score allowed for the Functional Assessment Type Code unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment). See the Functional Assessment Type Value Set in the Vocabulary to see which score ranges are allowed for each type.															
Score Number Must Be Valid Data Type For Type Rule	Score Number must be in the correct numeric format for the Functional Assessment Type unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment). See the Functional Assessment Type Value Set in the Vocabulary to see which score data types are allowed for each type.															
Reason Code	The code indicating the reason the functional assessment was completed.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Functional Assessment Reason Value Set</td> <td>Unknown code for type 'FunctionalAssessmentReason'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Reason Code Required Unless No Assessment Rule</td> <td>Reason Code is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Functional Assessment Reason Value Set	Unknown code for type 'FunctionalAssessmentReason'	Rule Name	Message	Additional Values in Message	Reason Code Required Unless No Assessment Rule	Reason Code is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Functional Assessment Reason Value Set	Unknown code for type 'FunctionalAssessmentReason'															
Rule Name	Message	Additional Values in Message														
Reason Code Required Unless No Assessment Rule	Reason Code is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)															

Field	Description	Validation Rules										
Necessitating Event Date	The date of an event that necessitates a functional assessment.	Data Type Validation										
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>date</td> <td>Failed parsing value to type Date</td> <td>Refer to the Appendix document for Common Data Types.</td> </tr> </tbody> </table>	Data Type	Message	Note	date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .				
		Data Type	Message	Note								
		date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .								
Errors												
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Necessitating Event Date Required Unless No Assessment Rule</td> <td>Necessitating Event Date is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)</td> <td></td> </tr> <tr> <td>Necessitating Event Date Must Be Less Than Or Equal To Current Date Rule</td> <td>Necessitating Event Date must be less than or equal to the current date</td> <td></td> </tr> <tr> <td>Necessitating Event Date Must Be Greater Than Or Equal To Admission Date Rule</td> <td>Necessitating Event Date must be greater than or equal to the Admission Date.</td> <td>Admission Date</td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Necessitating Event Date Required Unless No Assessment Rule	Necessitating Event Date is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)		Necessitating Event Date Must Be Less Than Or Equal To Current Date Rule	Necessitating Event Date must be less than or equal to the current date		Necessitating Event Date Must Be Greater Than Or Equal To Admission Date Rule	Necessitating Event Date must be greater than or equal to the Admission Date.	Admission Date
Rule Name	Message	Additional Values in Message										
Necessitating Event Date Required Unless No Assessment Rule	Necessitating Event Date is required unless Type Code equals 14100.4 (i.e. Incomplete/No Assessment)											
Necessitating Event Date Must Be Less Than Or Equal To Current Date Rule	Necessitating Event Date must be less than or equal to the current date											
Necessitating Event Date Must Be Greater Than Or Equal To Admission Date Rule	Necessitating Event Date must be greater than or equal to the Admission Date.	Admission Date										
		Guidance										
		<table border="1"> <thead> <tr> <th>Note</th> </tr> </thead> <tbody> <tr> <td>Because the event necessitating a Functional Assessment triggers the start of a Functional Assessment and a Functional Assessment can take up to 7 business days to complete, this date will not likely be the same as the Completed Date.</td> </tr> </tbody> </table>	Note	Because the event necessitating a Functional Assessment triggers the start of a Functional Assessment and a Functional Assessment can take up to 7 business days to complete, this date will not likely be the same as the Completed Date.								
Note												
Because the event necessitating a Functional Assessment triggers the start of a Functional Assessment and a Functional Assessment can take up to 7 business days to complete, this date will not likely be the same as the Completed Date.												

1.3.1.6 PerformanceOutcomeMeasure

This is a Subentity of ProviderTreatmentEpisode.

This is a Subentity of Admission.

This is a Subentity of Discharge.

1.3.1.6.1 Description

The Submitting Treatment Episode Data section above describes the general circumstances under which treatment episode data, including performance outcome measures, must be submitted. A performance outcome measure record represents information that must be recorded and submitted during each treatment episode. It can be considered a periodic assessment during the course of treatment. It is required for analyzing and reporting to various entities responsible for the oversight and improvement of a statewide system of care for the prevention, treatment, and recovery of individuals with serious mental health, substance use, or other disorders.

Over the course of a treatment episode, performance outcome measure data can be submitted many times. There must always be at least one performance outcome measure record associated with each admission, and each discharge. Business rules may further define when performance outcome measures must be provided. Performance outcome measures can be associated directly with an admission, directly with a discharge, or both. A performance outcome measure record will be associated with the treatment episode and can additionally be associated with both an admission and a discharge. The performance outcome measure record may be defined under the treatment episode, admission, or discharge, and may be referenced by identifier under any admission or discharge in the provider treatment episode. Each individual performance outcome measure record will be tracked separately in the Data Warehouse and will be used for analysis at various points in time.

A Performance Outcome Measure record will be uniquely identified in the Data Warehouse by the provider's internal identifier for the Performance Outcome Measure record within the Provider Treatment Episode, known as the Source Record Identifier. Therefore, no two Performance Outcome Measure records can be submitted with the same Source Record Identifier within the same Provider Treatment Episode.

1.3.1.6.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Source Record Identifier

1.3.1.6.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	Performance Outcome Measure Must Have At Least 1 Diagnosis Rule	Each Performance Outcome Measure must have at least one associated Diagnosis record	
Error	At Least One Used Substance Disorder Is Required If Substance Use Program Rule	At least one Used Substance with a non-blank Disorder Rank Number is required if the related Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment)	
Error	Medication Assisted Opioid Therapy Code Required If Substance Use Program Rule	Medication Assisted Opioid Therapy Code is required if Admission's Program Area Code equals 11400.2 (i.e. Substance Use Disorder Treatment)	
Error	Mental Health Entity Required If Mental Health Program Rule	Mental Health entity is required if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services)	
Error	Used Substance Cannot Have Rank Without Higher Rank Rule	There may not be a Used Substance with a non-blank Disorder Rank Number with a lower rank without sending the directly higher rank as well, for a given Performance Outcome Measure. That is, a secondary disorder (i.e. Disorder Rank Number 2) may not be submitted without first submitting a primary disorder (i.e. Disorder Rank Number 1), and a tertiary disorder (i.e. Disorder Rank Number 3) may not be submitted without a secondary disorder (i.e. Disorder Rank Number 2), etc.	
Error	Type Code Must Be None If Type Code With Higher Rank Is None Rule	If a Used Substance Record has a Rank value of 2 or more, its Type Code must be 12700.1 (i.e. None) if the Used Substance record with a higher rank (i.e. lower number) has a Type Code of 12700.1 (i.e. None). For example, if the primary Used Substance record has a Type Code of 12700.1 (i.e. None), the secondary Used Substance record must have a Type Code of 12700.1. And if a tertiary Used Substance record is added, its Type Code must also be 12700.1	
Error	Diagnosis Cannot Have Rank Without Higher Rank Rule	There may not be a Diagnosis with a lower rank without sending the directly higher rank as well, for a given Performance Outcome Measure. That is, a secondary diagnosis (i.e. Rank Number 2) may not be submitted without first submitting a primary diagnosis (i.e. Rank Number 1), and a tertiary diagnosis (i.e. Rank Number 3) may not be submitted without a secondary diagnosis (i.e. Rank Number 2), etc.	
Error	Financial and Household	Each Performance Outcome Measure must contain exactly one	

Rule Type	Rule Name	Message	Additional Values in Message
	Section Is Required Rule	Financial and Household section.	
Error	Health Section Is Required Rule	Each Performance Outcome Measure must contain exactly one Health section.	
Error	Education and Employment Section Is Required Rule	Each Performance Outcome Measure must contain exactly one Education and Employment section.	
Error	Legal Section Is Required Rule	Each Performance Outcome Measure must contain exactly one Legal section.	

1.3.1.6.4 Additional Guidance

Note

Sharing Performance Outcome Measures

Any Performance Outcome Measure in a given Provider Treatment Episode may be referenced from any Admission or Discharge in the Provider Treatment Episode by specifying the Source Record Identifier of that Performance Outcome Measure.

For example, if a client is transferred to another level of care and an additional Performance Outcome Measure is collected after the Initial Admission, then the Performance Outcome Measure record must be associated with either the appropriate Transfer Admission, the Discharge to the Initial Admission, or both the Transfer Admission and the Discharge to the Initial Admission. Specifying the same Performance Outcome Measure Source Record Identifier for both a Transfer Admission and the Discharge will associate the same Performance Outcome Measure to both events. It is only necessary to specify the Performance Outcome Measure data (other than the Source Record Identifier) with either the Transfer Admission or the Discharge to the Initial Admission. In other words, the same Performance Outcome Measure can be leveraged for both a Transfer Admission and a Discharge to the Initial Admission without requiring the source system to collect multiple records when a client transfers levels of care.

Another example of sharing a record would be in the case that a client is administratively discharged for reasons such as death, incarceration, or other life circumstances. In that case, if the provider has not recorded the outcome measure data on that discharge, the provider may reference the identifier of the same Performance Outcome Measure record that was collected at Admission.

1.3.1.6.5 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Source Record Identifier	The provider's internal system identifier for the Performance Outcome Measure record.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Length Validation
		Max Length Message
100 Value length must be less than or equal to '100'		
		Errors
		Rule Name Message Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required
		Guidance
		Note The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.
Performance Outcome Measure Date	The date the performance outcome measure was taken.	Data Type Validation
		Data Type Message Note
		date Failed parsing value to type Date Refer to the Appendix document for Common Data Types .
		Errors
		Rule Name Message Additional Values in Message
		Performance Outcome Measure Date Required Rule Performance Outcome Measure Date is required

Field	Description	Validation Rules	
		Performance Outcome Measure Date Must Be Less Than Or Equal To Current Date Rule	Performance Outcome Measure Date must be less than or equal to the current date
		Performance Outcome Measure Date Must Be Less Than Or Equal To Discharge Date If Applicable Rule	Performance Outcome Measure Date must be less than or equal to the Discharge's Discharge Date.
Marital Status Code	The code indicating the client's current marital status.	Data Type Validation	
		Data Type	Message
		string	Failed parsing value to type string
		Vocabulary Validation	
		Rule	Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Marital Status Value Set	Unknown code for type 'MaritalStatus'
Errors			
Rule Name	Message	Additional Values in Message	
Marital Status Code Required Rule	Marital Status Code is required		

1.3.1.6.6 FinancialAndHousehold

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.6.1 *Description*

This section includes financial and household related information about the client. A Financial and Household record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure it supports.

1.3.1.6.6.2 *Key Fields*

There are no key fields for this entity.

1.3.1.6.6.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Primary Income Source Code	The code indicating the client’s primary source of financial support.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the Primary Income Source Value Set Unknown code for type ‘PrimaryIncomeSource’
Primary Income Source Code Required Rule		Errors
		Rule Name Message Additional Values in Message
		Primary Income Source Code Required Rule Primary Income Source Code is required
Primary Payment Source Code	The code indicating the primary source of payment for this treatment episode.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the Payment Source Value Set Unknown code for type ‘PaymentSource’

Field	Description	Validation Rules														
		<p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Primary Payment Source Code Required Rule</td> <td>Primary Payment Source Code is required</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Primary Payment Source Code Required Rule	Primary Payment Source Code is required									
Rule Name	Message	Additional Values in Message														
Primary Payment Source Code Required Rule	Primary Payment Source Code is required															
Health Insurance Code	The code indicating the client's health insurance. The insurance may or may not cover behavioral health.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Health Insurance Value Set</td> <td>Unknown code for type 'HealthInsurance'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Health Insurance Code Required Rule</td> <td>Health Insurance Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Health Insurance Value Set	Unknown code for type 'HealthInsurance'	Rule Name	Message	Additional Values in Message	Health Insurance Code Required Rule	Health Insurance Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Health Insurance Value Set	Unknown code for type 'HealthInsurance'															
Rule Name	Message	Additional Values in Message														
Health Insurance Code Required Rule	Health Insurance Code is required															
Indigent Code	Indication if the client is indigent or not	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set</td> <td>Unknown code for type 'NoYes'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Indigent Code Required Rule</td> <td>Indigent Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'	Rule Name	Message	Additional Values in Message	Indigent Code Required Rule	Indigent Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Value Set	Unknown code for type 'NoYes'															
Rule Name	Message	Additional Values in Message														
Indigent Code Required Rule	Indigent Code is required															

Field	Description	Validation Rules														
Living Arrangement Code	The code indicating whether the client is homeless, a dependent (living with parents or in a supervised setting), or living independently on his or her own.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="669 228 863 277">Data Type</th> <th data-bbox="863 228 1974 277">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 277 863 326">string</td> <td data-bbox="863 277 1974 326">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="669 415 1245 464">Rule</th> <th data-bbox="1245 415 1967 464">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 464 1245 578">Must be a valid Vocabulary value from the Mississippi Code System, for the Living Arrangement Value Set</td> <td data-bbox="1245 464 1967 578">Unknown code for type 'LivingArrangement'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="669 675 1150 724">Rule Name</th> <th data-bbox="1150 675 1625 724">Message</th> <th data-bbox="1625 675 1967 724">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 724 1150 768">Living Arrangement Code Required Rule</td> <td data-bbox="1150 724 1625 768">Living Arrangement Code is required</td> <td data-bbox="1625 724 1967 768"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Living Arrangement Value Set	Unknown code for type 'LivingArrangement'	Rule Name	Message	Additional Values in Message	Living Arrangement Code Required Rule	Living Arrangement Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Living Arrangement Value Set	Unknown code for type 'LivingArrangement'															
Rule Name	Message	Additional Values in Message														
Living Arrangement Code Required Rule	Living Arrangement Code is required															

1.3.1.6.7 Health

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.7.1 *Description*

The section includes health related information about the client. A Health record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure it supports.

1.3.1.6.7.2 *Key Fields*

There are no key fields for this entity.

1.3.1.6.7.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules							
Pregnant Code	The code indicating whether a female client is pregnant.	Data Type Validation							
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string			
		Data Type	Message						
		string	Failed parsing value to type string						
		Vocabulary Validation							
<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown NA Value Set</td> <td>Unknown code for type 'NoYesUnknownNA'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the No Yes Unknown NA Value Set	Unknown code for type 'NoYesUnknownNA'					
Rule	Message								
Must be a valid Vocabulary value from the Mississippi Code System , for the No Yes Unknown NA Value Set	Unknown code for type 'NoYesUnknownNA'								
Errors									
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Pregnant Code Must Be NA If Male Rule</td> <td>Pregnant Code must be 2100.1 (i.e. Not Applicable) if the Provider Client's Sex Code is 8300.1 (i.e. Male)</td> <td></td> </tr> <tr> <td>Pregnant Code Required Rule</td> <td>Pregnant Code is required</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Pregnant Code Must Be NA If Male Rule	Pregnant Code must be 2100.1 (i.e. Not Applicable) if the Provider Client's Sex Code is 8300.1 (i.e. Male)		Pregnant Code Required Rule	Pregnant Code is required	
Rule Name	Message	Additional Values in Message							
Pregnant Code Must Be NA If Male Rule	Pregnant Code must be 2100.1 (i.e. Not Applicable) if the Provider Client's Sex Code is 8300.1 (i.e. Male)								
Pregnant Code Required Rule	Pregnant Code is required								
Due Date	Date that indicates when the client is due for delivery.	Data Type Validation							
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> <th>Note</th> </tr> </thead> <tbody> <tr> <td>date</td> <td>Failed parsing value to type Date</td> <td>Refer to the Appendix document for Common Data Types.</td> </tr> </tbody> </table>	Data Type	Message	Note	date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .	
		Data Type	Message	Note					
		date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .					
		Errors							
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Due Date Required Rule</td> <td>Due Date is required if Pregnant Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Due Date Required Rule	Due Date is required if Pregnant Code is 7400.1 (i.e. Yes)				
Rule Name	Message	Additional Values in Message							
Due Date Required Rule	Due Date is required if Pregnant Code is 7400.1 (i.e. Yes)								
Guidance									

Field	Description	Validation Rules														
		<table border="1"> <thead> <tr> <th colspan="2">Note</th> </tr> </thead> <tbody> <tr> <td colspan="2">If an exact due date is not known, an estimated due date can be provided.</td> </tr> </tbody> </table>	Note		If an exact due date is not known, an estimated due date can be provided.											
Note																
If an exact due date is not known, an estimated due date can be provided.																
Recovery Group Attendance Frequency Code	The code indicating the frequency of attendance in a recovery support group in the last 30 days.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Recovery Group Attendance Frequency Value Set</td> <td>Unknown code for type 'RecoveryGroupAttendanceFrequency'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Recovery Group Attendance Frequency Code Required Rule</td> <td>Recovery Group Attendance Frequency Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Recovery Group Attendance Frequency Value Set	Unknown code for type 'RecoveryGroupAttendanceFrequency'	Rule Name	Message	Additional Values in Message	Recovery Group Attendance Frequency Code Required Rule	Recovery Group Attendance Frequency Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System , for the Recovery Group Attendance Frequency Value Set	Unknown code for type 'RecoveryGroupAttendanceFrequency'															
Rule Name	Message	Additional Values in Message														
Recovery Group Attendance Frequency Code Required Rule	Recovery Group Attendance Frequency Code is required															
Medication Assisted Opioid Therapy Code	The code indicating whether the use of opioid medications such as methadone, buprenorphine or naltrexone are part of the client's treatment plan.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the No Yes Unknown NA Value Set</td> <td>Unknown code for type 'NoYesUnknownNA'</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the No Yes Unknown NA Value Set	Unknown code for type 'NoYesUnknownNA'						
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System , for the No Yes Unknown NA Value Set	Unknown code for type 'NoYesUnknownNA'															
Smoker Status Code	The code indicating the client's current status of involvement with smoking.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string										
Data Type	Message															
string	Failed parsing value to type string															

Field	Description	Validation Rules						
		<p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="667 305 1228 354">Rule</th> <th data-bbox="1228 305 1986 354">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 354 1228 467">Must be a valid Vocabulary value from the Mississippi Code System, for the Smoker Status Value Set</td> <td data-bbox="1228 354 1986 467">Unknown code for type 'SmokerStatus'</td> </tr> </tbody> </table> <p>Guidance</p> <table border="1"> <thead> <tr> <th data-bbox="667 557 1986 605">Note</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 605 1986 657">Optional</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Smoker Status Value Set	Unknown code for type 'SmokerStatus'	Note	Optional
Rule	Message							
Must be a valid Vocabulary value from the Mississippi Code System, for the Smoker Status Value Set	Unknown code for type 'SmokerStatus'							
Note								
Optional								

1.3.1.6.8 EducationAndEmployment

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.8.1 Description

The section includes education and employment related information about the client. An Education and Employment record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure it supports.

1.3.1.6.8.2 Key Fields

There are no key fields for this entity.

1.3.1.6.8.3 *Fields*

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules														
Education Grade Level Code	The code indicating either the highest school grade completed for adults or children not attending school or the current school grade for school-age children (3-17 years old) attending school.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="659 362 856 410">Data Type</th> <th data-bbox="863 362 1982 410">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="659 415 856 464">string</td> <td data-bbox="863 415 1982 464">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="659 553 1241 602">Rule</th> <th data-bbox="1247 553 1982 602">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="659 607 1241 716">Must be a valid Vocabulary value from the Mississippi Code System, for the Education Grade Level Value Set</td> <td data-bbox="1247 607 1982 716">Unknown code for type 'EducationGradeLevel'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="659 805 1150 854">Rule Name</th> <th data-bbox="1157 805 1625 854">Message</th> <th data-bbox="1631 805 1982 854">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="659 859 1150 933">Education Grade Level Code Required Rule</td> <td data-bbox="1157 859 1625 933">Education Grade Level is required</td> <td data-bbox="1631 859 1982 933"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Education Grade Level Value Set	Unknown code for type 'EducationGradeLevel'	Rule Name	Message	Additional Values in Message	Education Grade Level Code Required Rule	Education Grade Level is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System , for the Education Grade Level Value Set	Unknown code for type 'EducationGradeLevel'															
Rule Name	Message	Additional Values in Message														
Education Grade Level Code Required Rule	Education Grade Level is required															
Employment Status Code	The code indicating the client's employment status.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="659 987 856 1036">Data Type</th> <th data-bbox="863 987 1982 1036">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="659 1040 856 1089">string</td> <td data-bbox="863 1040 1982 1089">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="659 1179 1241 1227">Rule</th> <th data-bbox="1247 1179 1982 1227">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="659 1232 1241 1341">Must be a valid Vocabulary value from the Mississippi Code System, for the Employment Status Value Set</td> <td data-bbox="1247 1232 1982 1341">Unknown code for type 'EmploymentStatus'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="659 1430 1150 1479">Rule Name</th> <th data-bbox="1157 1430 1625 1479">Message</th> <th data-bbox="1631 1430 1982 1479">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="659 1435 1150 1479"></td> <td data-bbox="1157 1435 1625 1479"></td> <td data-bbox="1631 1435 1982 1479"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Employment Status Value Set	Unknown code for type 'EmploymentStatus'	Rule Name	Message	Additional Values in Message			
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System , for the Employment Status Value Set	Unknown code for type 'EmploymentStatus'															
Rule Name	Message	Additional Values in Message														

Field	Description	Validation Rules		
		Employment Status Code Required	Employment Status Code is required	
School Attendance Status Code	The code indicating the school attendance status of school-age children and adolescents (3-17 years old), including young adults (18-21 years old) who are protected under the Individuals with Disabilities Education Act (IDEA), receiving mental health services.	Data Type Validation		
		Data Type	Message	
		string	Failed parsing value to type string	
		Vocabulary Validation		
		Rule	Message	
		Must be a valid Vocabulary value from the Mississippi Code System, for the School Attendance Status Value Set	Unknown code for type 'SchoolAttendanceStatus'	
Errors				
		Rule Name	Message	Additional Values in Message
		School Attendance Status Code Required If Mental Health Program Rule	School Attendance Status Code is required if Admission's Program Area Code equals 11400.1 (i.e. Mental Health Services)	
		School Attendance Status Cannot Be Not Applicable If Client Age Is 3 to 17 Rule	School Attendance Status Code Cannot be Not Applicable If Client Age at submission is 3 to 17	

1.3.1.6.9 UsedSubstance

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.9.1 Description

The section includes substance usage related information about the client, including their primary, secondary, and tertiary substance use disorders, as well as information about other substances the client may use.

When submitting XML data for UsedSubstance records: A single <PerformanceOutcomeMeasure> entity may contain zero or one <UsedSubstances> records (Note the plural – Substances), which acts as a container for <UsedSubstance> entities. **Note that there may be additional Business Rules that indicate when UsedSubstance records are required.**

Pseudo-XML Example:

```
<PerformanceOutcomeMeasure>
  <UsedSubstances>
    <UsedSubstance>
      [Data for primary Used Substance]
    </UsedSubstance>
    <UsedSubstance>
      [Data for secondary Used Substance]
    </UsedSubstance>
  </UsedSubstances>
</PerformanceOutcomeMeasure>
```

A Used Substance record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure record, and the Used Substance's Source Record Identifier. Therefore, no two Used Substance records can be submitted with the same Source Record Identifier for the same Performance Outcome Measure.

1.3.1.6.9.2 *Key Fields*

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field
Source Record Identifier

1.3.1.6.9.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	None Can Be Used Only For Codependent Rule	The Substance Type Code 12700.1 (i.e. None) can only be used as a Used Substance if the Admission's Codependent Code equals 7400.1 (i.e. Yes).	
Error	Cannot Have More Than One Used Substance Disorder With The Same Rank Rule	There may be only one Used Substance record with a non-blank Disorder Rank Number of a given rank for a given Performance Outcome Measure. That is, there may only be one primary (i.e. Disorder Rank Number 1), one secondary (i.e. Disorder Rank Number 2), and one tertiary (i.e. Disorder Rank Number 3), etc. There may not be multiple primary disorders, secondary disorders, or tertiary disorders, etc.	
Error	Type Code, Detailed Type Code, And Route Of Administration Code Must Be Unique For Ranked Substances Rule	No two Used Substance Records with a non-blank Disorder Rank Number may have the same values for Type Code, Route of Administration, and Detailed Substance Type.	
Error	First Use Age on the first Performance Outcome Measure associated with the Admission cannot be Greater than Client's Age at Admission Rule.	First Use Age on the first Performance Outcome Measure associated with an Admission cannot be greater than the Client's age at the Admission Date.	
Error	First Use Age on the Performance Outcome Measure associated with a Discharge cannot be greater than the Client's age at the Discharge Rule.	First Use Age on the Performance Outcome Measure associated with a Discharge cannot be greater than the Client's age at the Discharge Date.	

1.3.1.6.9.4 Additional Guidance

Note
This entity is used to collect information about any used substances. Some of those substances may be considered disorders. Disorders are identified by including a Disorder Rank Number. Records without a Disorder Rank Number will be accepted but will not be considered disorders.
Clients with only mental health problems do not have to report any used substances but may if the client is being treated for co-occurring mental health and substance use needs.

1.3.1.6.9.5 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Source Record Identifier	The provider's internal system identifier for the Used Substance record.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Length Validation
		Max Length Message
100 Value length must be less than or equal to '100'		
		Errors
		Rule Name Message Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required
		Guidance
		Note The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.
Type Code	The code indicating the type of substance the client has been using.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Substance Type Unknown code for type 'SubstanceType'

Field	Description	Validation Rules														
		<p>Value Set</p> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="1113 354 1501 402">Rule Name</th> <th data-bbox="1501 354 1986 402">Message</th> <th data-bbox="1986 354 1986 402">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="1113 402 1501 451">Type Code Required Rule</td> <td data-bbox="1501 402 1986 451">Type Code is required</td> <td data-bbox="1986 402 1986 451"></td> </tr> <tr> <td data-bbox="1113 451 1501 857">Type Code Must Be Unknown If Type Code With Higher Rank Is Unknown Rule</td> <td data-bbox="1501 451 1986 857">If a Used Substance Record has a Rank value of 2 or more, its Type Code must be 2100.4 (i.e. Unknown) if the Used Substance record with a higher rank (i.e. lower number) has a Type Code of 2100.4 (i.e. Unknown). For example, if the primary Used Substance record has a Type Code of 2100.4 (i.e. Unknown), the secondary Used Substance record must have a Type Code of 2100.4. And if a tertiary Used Substance record is added, its Type Code must also be 2100.4</td> <td data-bbox="1986 451 1986 857"></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Type Code Required Rule	Type Code is required		Type Code Must Be Unknown If Type Code With Higher Rank Is Unknown Rule	If a Used Substance Record has a Rank value of 2 or more, its Type Code must be 2100.4 (i.e. Unknown) if the Used Substance record with a higher rank (i.e. lower number) has a Type Code of 2100.4 (i.e. Unknown). For example, if the primary Used Substance record has a Type Code of 2100.4 (i.e. Unknown), the secondary Used Substance record must have a Type Code of 2100.4. And if a tertiary Used Substance record is added, its Type Code must also be 2100.4						
Rule Name	Message	Additional Values in Message														
Type Code Required Rule	Type Code is required															
Type Code Must Be Unknown If Type Code With Higher Rank Is Unknown Rule	If a Used Substance Record has a Rank value of 2 or more, its Type Code must be 2100.4 (i.e. Unknown) if the Used Substance record with a higher rank (i.e. lower number) has a Type Code of 2100.4 (i.e. Unknown). For example, if the primary Used Substance record has a Type Code of 2100.4 (i.e. Unknown), the secondary Used Substance record must have a Type Code of 2100.4. And if a tertiary Used Substance record is added, its Type Code must also be 2100.4															
Detailed Type Code	The code indicating the type of substance the client has been using, in greater detail. Detailed type codes enable distinction between substances in cases where a client uses two or more substances of the same type.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="1113 909 1501 958">Data Type</th> <th data-bbox="1501 909 1986 958">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="1113 958 1501 1006">string</td> <td data-bbox="1501 958 1986 1006">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="1113 1136 1501 1185">Rule</th> <th data-bbox="1501 1136 1986 1185">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="1113 1185 1501 1299">Must be a valid Vocabulary value from the Mississippi Code System, for the Detailed Substance Type Value Set</td> <td data-bbox="1501 1185 1986 1299">Unknown code for type 'DetailedSubstanceType'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="1113 1388 1501 1437">Rule Name</th> <th data-bbox="1501 1388 1986 1437">Message</th> <th data-bbox="1986 1388 1986 1437">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="1113 1437 1501 1518">Detailed Substance Type Should Be Valid For Type Rule</td> <td data-bbox="1501 1437 1986 1518">If provided, Detailed Substance Type should be a valid Detailed Substance</td> <td data-bbox="1986 1437 1986 1518"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Detailed Substance Type Value Set	Unknown code for type 'DetailedSubstanceType'	Rule Name	Message	Additional Values in Message	Detailed Substance Type Should Be Valid For Type Rule	If provided, Detailed Substance Type should be a valid Detailed Substance	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Detailed Substance Type Value Set	Unknown code for type 'DetailedSubstanceType'															
Rule Name	Message	Additional Values in Message														
Detailed Substance Type Should Be Valid For Type Rule	If provided, Detailed Substance Type should be a valid Detailed Substance															

Field	Description	Validation Rules										
		Type for the given Type Code										
		<p>Guidance</p> <p>Note</p> <p>Optional</p>										
Disorder Rank Number	A number indicating the relative rank or priority of this substance type in the client's overall substance use.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>integer</td> <td>Failed parsing value to type integer</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Disorder Rank Number Must Be Valid Value Rule</td> <td>Disorder Rank Number must be a valid integer greater than zero</td> <td></td> </tr> </tbody> </table> <p>Guidance</p> <p>Note</p> <p>Optional. If the Used Substance is not considered a problem/disorder, then this field may be omitted, or a blank submitted. See Additional Guidance above.</p> <p>As an example, if Alcohol is the client's primary disorder in terms of use, then it should be listed as a record with this field set to 1 (i.e. Primary). If the client has a secondary problem of using Marijuana, then an additional record should be listed with this field set to 2 (i.e. Secondary). If the client has a tertiary problem of using Heroin, then an additional record should be listed with this field set to 3 (i.e. Tertiary). Additional records may be created as needed, incrementing, or omitting, the Disorder Rank Number appropriately.</p>	Data Type	Message	integer	Failed parsing value to type integer	Rule Name	Message	Additional Values in Message	Disorder Rank Number Must Be Valid Value Rule	Disorder Rank Number must be a valid integer greater than zero	
Data Type	Message											
integer	Failed parsing value to type integer											
Rule Name	Message	Additional Values in Message										
Disorder Rank Number Must Be Valid Value Rule	Disorder Rank Number must be a valid integer greater than zero											
Route Of Administration Code	The code indicating the usual route of administration of the corresponding substance the client uses.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p>	Data Type	Message	string	Failed parsing value to type string						
Data Type	Message											
string	Failed parsing value to type string											

Field	Description	Validation Rules	
		Rule	Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Route Of Administration Value Set	Unknown code for type 'Route Of Administration'
		Errors	
		Rule Name	Message Additional Values in Message
		Route Of Administration Code Required If Substance Not None Rule	Route Of Administration Code is required if the Type Code is not 12700.1 (i.e. None)
Frequency Of Use Code	The code indicating the frequency of use of the corresponding substance the client uses, in days.	Data Type Validation	
		Data Type	Message
		string	Failed parsing value to type string
		Vocabulary Validation	
		Rule	Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Frequency Of Use Value Set	Unknown code for type 'Frequency Of Use'
		Errors	
		Rule Name	Message Additional Values in Message
		Frequency Of Use Code Required If Substance Not None Rule	Frequency Of Use Code is required if the Type Code is not 12700.1 (i.e. None)
		Frequency Of Use Can be 'Not Applicable' Only If Substance Code is 'None'	Frequency Of Use Code can be 'Not Applicable' Only if Substance Code is 'None'

Field	Description	Validation Rules							
First Use Age Known Code	Field to allow Providers to indicate whether the First Use Age field is known or not.	Data Type Validation							
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string			
		Data Type	Message						
		string	Failed parsing value to type string						
Errors									
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>First Use Age Known Code Required Rule</td> <td>First Use Age Known Code is required</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	First Use Age Known Code Required Rule	First Use Age Known Code is required				
Rule Name	Message	Additional Values in Message							
First Use Age Known Code Required Rule	First Use Age Known Code is required								
First Use Age	For substances other than alcohol, this number indicates the age at which the client first used the corresponding substance. For alcohol, this number indicates the client's age of	Vocabulary Validation							
		<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the NoYesNA Value Set</td> <td>Unknown code for type 'NoYesNA'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the NoYesNA Value Set	Unknown code for type 'NoYesNA'			
		Rule	Message						
		Must be a valid Vocabulary value from the Mississippi Code System, for the NoYesNA Value Set	Unknown code for type 'NoYesNA'						
Errors									
<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>First Use Age Known Code Must Be Not Applicable If Substance Type Is None Rule</td> <td>FirstUseAgeKnownCode must be 2100.1 (i.e. Not Applicable) if Substance Type is 12700.1 (i.e. None)</td> <td></td> </tr> <tr> <td>First Use Age Known Code Must Not Be Not Applicable If Substance Type Is Not None Rule</td> <td>FirstUseAgeKnownCode must not be 2100.1 (i.e. Not Applicable) if Substance Type is not 12700.1 (i.e. None)</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	First Use Age Known Code Must Be Not Applicable If Substance Type Is None Rule	FirstUseAgeKnownCode must be 2100.1 (i.e. Not Applicable) if Substance Type is 12700.1 (i.e. None)		First Use Age Known Code Must Not Be Not Applicable If Substance Type Is Not None Rule	FirstUseAgeKnownCode must not be 2100.1 (i.e. Not Applicable) if Substance Type is not 12700.1 (i.e. None)	
Rule Name	Message	Additional Values in Message							
First Use Age Known Code Must Be Not Applicable If Substance Type Is None Rule	FirstUseAgeKnownCode must be 2100.1 (i.e. Not Applicable) if Substance Type is 12700.1 (i.e. None)								
First Use Age Known Code Must Not Be Not Applicable If Substance Type Is Not None Rule	FirstUseAgeKnownCode must not be 2100.1 (i.e. Not Applicable) if Substance Type is not 12700.1 (i.e. None)								
First Use Age Known Code	Field to allow Providers to indicate whether the First Use Age field is known or not.	Data Type Validation							
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>integer</td> <td>Failed parsing value to type integer</td> </tr> </tbody> </table>	Data Type	Message	integer	Failed parsing value to type integer			
Data Type	Message								
integer	Failed parsing value to type integer								

Field	Description	Validation Rules	
	their first intoxication.	Errors	
		Rule Name	Message
		First Use Age Required Rule	First Use Age is required if First Use Age Known Code is 7400.1 (i.e. Yes)
		First Use Age Must Not Be Populated If First Use Age Known Code Is Not Yes Rule	First Use Age must not be provided if First Use Age Known Code is not 7400.1 (i.e. Yes)
		First Use Age Must Be Valid Value Rule	First Use Age must be a valid integer greater than or equal to zero and less than or equal to 150

1.3.1.6.10 MentalHealth

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.10.1 Description

The section includes mental health related information about the client. A single Performance Outcome Measure record may contain zero or one Mental Health record. A Mental Health record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure it supports.

1.3.1.6.10.2 Key Fields

There are no key fields for this entity.

1.3.1.6.10.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Serious Mental Illness Or Emotional Disturbance Code	The code indicating whether the client has serious mental illness (SMI) or serious emotional disturbance (SED).	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the Serious Mental Illness Or Emotional Disturbance Value Set Unknown code for type ‘SeriousMentalIllnessOrEmotionalDisturbance’
Errors		
		Rule Name Message Additional Values in Message
		Serious Mental Illness Or Emotional Disturbance Code Required If Mental Health Program Rule Serious Mental Illness Or Emotional Disturbance Code is required if Admission’s Program Area Code equals 11400.1 (i.e. Mental Health Services)
Global Assessment Of Functioning Score Known Code	The code indicating whether the Children’s Global Assessment Scale (CGAS) Score for children and adolescent clients, or the Global Assessment of Functioning (GAF) Score for adult clients is known.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the No Yes Value Set Unknown code for type ‘NoYes’
Errors		
		Rule Name Message Additional Values in Message

Field	Description	Validation Rules																
Global Assessment Of Functioning Score Number	The number indicating the Children's Global Assessment Scale (CGAS) Score for children and adolescent clients, or the Global Assessment of Functioning (GAF) Score for adult clients.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>integer</td> <td>Failed parsing value to type integer</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Global Assessment Of Functioning Score Number Required If Known Rule</td> <td>Global Assessment Of Functioning Score Number is required if Global Assessment Of Functioning Score Known Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> <tr> <td>Global Assessment Of Functioning Score Number If Not Known Rule</td> <td>Global Assessment Of Functioning Score Number must not be provided unless Global Assessment Of Functioning Score Known Code is 7400.1 (i.e. Yes)</td> <td></td> </tr> <tr> <td>Global Assessment Of Functioning Score Number Must Be Valid Value Rule</td> <td>Global Assessment Of Functioning Score Number must be a valid integer greater than or equal to zero and less than or equal to 100</td> <td></td> </tr> </tbody> </table>	Data Type	Message	integer	Failed parsing value to type integer	Rule Name	Message	Additional Values in Message	Global Assessment Of Functioning Score Number Required If Known Rule	Global Assessment Of Functioning Score Number is required if Global Assessment Of Functioning Score Known Code is 7400.1 (i.e. Yes)		Global Assessment Of Functioning Score Number If Not Known Rule	Global Assessment Of Functioning Score Number must not be provided unless Global Assessment Of Functioning Score Known Code is 7400.1 (i.e. Yes)		Global Assessment Of Functioning Score Number Must Be Valid Value Rule	Global Assessment Of Functioning Score Number must be a valid integer greater than or equal to zero and less than or equal to 100	
Data Type	Message																	
integer	Failed parsing value to type integer																	
Rule Name	Message	Additional Values in Message																
Global Assessment Of Functioning Score Number Required If Known Rule	Global Assessment Of Functioning Score Number is required if Global Assessment Of Functioning Score Known Code is 7400.1 (i.e. Yes)																	
Global Assessment Of Functioning Score Number If Not Known Rule	Global Assessment Of Functioning Score Number must not be provided unless Global Assessment Of Functioning Score Known Code is 7400.1 (i.e. Yes)																	
Global Assessment Of Functioning Score Number Must Be Valid Value Rule	Global Assessment Of Functioning Score Number must be a valid integer greater than or equal to zero and less than or equal to 100																	

1.3.1.6.11 Legal

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.11.1 *Description*

The section includes legal information about the client. A Legal record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure it supports.

1.3.1.6.11.2 *Key Fields*

There are no key fields for this entity.

1.3.1.6.11.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Arrests In Last 30 Days Known Code	The code indicating whether the number of arrests in the last 30 days number is known.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the No Yes Value Set Unknown code for type 'NoYes'
		Errors
		Rule Name Message Additional Values in Message
		Arrests In Last 30 Days Known Code Required Rule Arrests In Last 30 Days Known Code is required
Arrests In Last 30 Days Number	A number indicating the number of arrests for any cause, within the last 30 days.	Data Type Validation
		Data Type Message
		integer Failed parsing value to type integer
		Errors
		Rule Name Message Additional Values in Message
		Arrests In Last 30 Days Number Required If Known Rule Arrests In Last 30 Days Number is required if Arrests In Last 30 Days Known Code is 7400.1 (i.e. Yes)
		Arrests In Last 30 Days Number If Not Known Rule Arrests In Last 30 Days Number must not be provided if Arrests In Last 30 Days Known Code is 7400.0 (i.e. No)
		Arrests In Last 30 Days Number Must Be Valid Value Rule Arrests In Last 30 Days Number must be a valid integer greater than or equal to

Field	Description	Validation Rules						
		zero						
Legal Status Code	The code indicating the individual's legal status. This field is applicable at any treatment service setting in state psychiatric hospitals.	Data Type Validation						
		<table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string		
		Data Type	Message					
		string	Failed parsing value to type string					
Vocabulary Validation								
<table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Mississippi Code System, for the Legal Status Value Set</td> <td>Unknown code for type 'Legal Status'</td> </tr> </tbody> </table>	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Legal Status Value Set	Unknown code for type 'Legal Status'				
Rule	Message							
Must be a valid Vocabulary value from the Mississippi Code System, for the Legal Status Value Set	Unknown code for type 'Legal Status'							
		Errors						
		<table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Legal Status Code Required If State Psychiatric Hospital Rule</td> <td>Legal Status Code is required if the Admission Mental Health's Treatment Setting Code is 11600.1 (i.e. State Psychiatric Hospital)</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Legal Status Code Required If State Psychiatric Hospital Rule	Legal Status Code is required if the Admission Mental Health's Treatment Setting Code is 11600.1 (i.e. State Psychiatric Hospital)	
Rule Name	Message	Additional Values in Message						
Legal Status Code Required If State Psychiatric Hospital Rule	Legal Status Code is required if the Admission Mental Health's Treatment Setting Code is 11600.1 (i.e. State Psychiatric Hospital)							

1.3.1.6.12 Diagnosis

This is a Subentity of PerformanceOutcomeMeasure.

1.3.1.6.12.1 Description

The Submitting Treatment Episode Data section above describes the general circumstances under which diagnosis data must be submitted. A diagnosis is used to identify the substance use, mental health, or other disorder associated with the client's needs for admission into treatment. Over the course of a treatment episode, diagnosis data will be submitted many times. Diagnosis can be associated directly with a Performance Outcome Measure, which in turn may be related to an admission and/or discharge.

When submitting XML data for Diagnosis records: A single <PerformanceOutcomeMeasure> entity must contain exactly one <Diagnoses> section (Note the plural –Diagnoses), which must contain at least one <Diagnosis> entity.

Pseudo-XML Example:

```
<PerformanceOutcomeMeasure>
  <Diagnoses>
    <Diagnosis>
      [Data for primary Diagnosis]
    </Diagnosis>
    <Diagnosis>
      [Data for secondary Diagnosis]
    </Diagnosis>
  </Diagnoses>
</PerformanceOutcomeMeasure>
```

A Diagnosis record will be uniquely identified in the Data Warehouse by the Performance Outcome Measure record, and the Diagnosis's Source Record Identifier. Therefore, no two Diagnosis records can be submitted with the same Source Record Identifier for the same Performance Outcome Measure.

1.3.1.6.12.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Source Record Identifier

1.3.1.6.12.3 Additional Business Rules

Rule Type	Rule Name	Message
Error	All Diagnosis Has Same Code Set Identifier Code Rule	Within a Performance Outcome Measure, it is required to use a single Code Set Identifier Code for all diagnoses
Error	Cannot Have More Than One Diagnosis With The Same Rank Rule	There may be only one Diagnosis record of a given Rank Number for a given Performance Outcome Measure. That is, there may only be one primary (i.e. Rank Number 1), one secondary (i.e. Rank Number 2), and one tertiary (i.e. Rank Number 3), etc. There may not be multiple primary diagnoses, secondary diagnoses, tertiary diagnoses, etc.
Error	Cannot Have More Than One Diagnosis With The Same Diagnosis Rule	There may be only one Diagnosis record of a given diagnosis for a given Performance Outcome Measure. For example, there may only be one record with 'Alcoholism' as the diagnosis. That is, do not repeat the same diagnosis across multiple records.

1.3.1.6.12.4 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Source Record Identifier	The provider's internal system identifier for the Diagnosis record.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Length Validation
		Max Length Message
		100 Value length must be less than or equal to '100'
Source Record Identifier Required Rule		Errors
		Rule Name Message Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required
Source Record Identifier		Guidance
		Note The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.
Code Set Identifier Code	The code indicating the diagnostic code set used to report the substance use, mental health, or other diagnoses for a client, according to the International Classification of Diseases (ICD).	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Code Set Identifier Value Set Unknown code for type 'CodeSetIdentifier'

Field	Description	Validation Rules														
		<p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Code Set Identifier Code Required Rule</td> <td>Code Set Identifier Code is required</td> <td></td> </tr> </tbody> </table>	Rule Name	Message	Additional Values in Message	Code Set Identifier Code Required Rule	Code Set Identifier Code is required									
Rule Name	Message	Additional Values in Message														
Code Set Identifier Code Required Rule	Code Set Identifier Code is required															
Rank Number	A number indicating the relative rank or priority of the client's diagnosis.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>integer</td> <td>Failed parsing value to type integer</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Diagnosis Rank Number Required Rule</td> <td>Diagnosis Rank Number is required</td> <td></td> </tr> <tr> <td>Diagnosis Rank Number Must Be Valid Value Rule</td> <td>Diagnosis Rank Number must be a valid integer greater than zero</td> <td></td> </tr> </tbody> </table>	Data Type	Message	integer	Failed parsing value to type integer	Rule Name	Message	Additional Values in Message	Diagnosis Rank Number Required Rule	Diagnosis Rank Number is required		Diagnosis Rank Number Must Be Valid Value Rule	Diagnosis Rank Number must be a valid integer greater than zero		
Data Type	Message															
integer	Failed parsing value to type integer															
Rule Name	Message	Additional Values in Message														
Diagnosis Rank Number Required Rule	Diagnosis Rank Number is required															
Diagnosis Rank Number Must Be Valid Value Rule	Diagnosis Rank Number must be a valid integer greater than zero															
Diagnosis Code	The code indicating the client's substance use, mental health, or other diagnosis.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th>Data Type</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>string</td> <td>Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th>Rule</th> <th>Message</th> </tr> </thead> <tbody> <tr> <td>Must be a valid Vocabulary value from the Code System identified by the Code Set Identifier Code, for the Diagnosis Value Set</td> <td>Unknown code for type 'Diagnosis'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th>Rule Name</th> <th>Message</th> <th>Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td>Diagnosis Code Required Rule</td> <td>Diagnosis Code is required</td> <td></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Code System identified by the Code Set Identifier Code , for the Diagnosis Value Set	Unknown code for type 'Diagnosis'	Rule Name	Message	Additional Values in Message	Diagnosis Code Required Rule	Diagnosis Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Code System identified by the Code Set Identifier Code , for the Diagnosis Value Set	Unknown code for type 'Diagnosis'															
Rule Name	Message	Additional Values in Message														
Diagnosis Code Required Rule	Diagnosis Code is required															

1.3.1.7 *Special Initiative*

This is a Subentity of Provider Treatment Episode.

1.3.1.7.1 Description

A Special Initiative records client enrollment in one of several Special Initiatives managed by the Mississippi Department of Health.

A Special Initiative record will be uniquely identified in the Data Warehouse by the Special Initiative's Special Initiative Code. Therefore, no two Special Initiative records can be submitted with the same Special Initiative Code for the same Treatment Episode.

The Special Initiative sub-entity is required for MERC-19 and SOR grant recipients only at this time.

1.3.1.7.2 Key Fields

The fields in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record are:

Field

Special Initiative Code

1.3.1.7.3 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Special Initiative Type Code	The code indicates the type of Special Initiative being used.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the Special Initiative Type Code Value Set Unknown code for type 'SpecialInitiativeTypeCode'
		Errors
		Rule Name Message Additional Values in Message
		Special Initiative Type Code Required Rule Special Initiative Type Code is required

1.3.1.8 Episode Discharge

This is a Subentity of Provider Treatment Episode.

1.3.1.8.1 Description

An Episode Discharge record contains information about how a client is being discharged from treatment. This information is recorded at the end of the Treatment Episode, when the client leaves the Provider's care.

1.3.1.8.2 Key Fields

There are no key fields for this entity.

1.3.1.8.3 Additional Business Rules

Rule Type	Rule Name	Message	Additional Values in Message
Error	Episode Discharge Required If Treatment Episode Closed Rule	The Episode Discharge entity is required if the Treatment Episode Closed Date is populated.	

1.3.1.8.4 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules														
Referral Code	The agency/entity to which the patient was referred at discharge from the Treatment Episode.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="667 228 856 280">Data Type</th> <th data-bbox="856 228 1984 280">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 280 856 332">string</td> <td data-bbox="856 280 1984 332">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="667 418 1247 470">Rule</th> <th data-bbox="1247 418 1978 470">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 470 1247 581">Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Referral Value Set</td> <td data-bbox="1247 470 1978 581">Unknown code for type 'EpisodeDischargeReferral'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="667 672 1150 724">Rule Name</th> <th data-bbox="1150 672 1625 724">Message</th> <th data-bbox="1625 672 1978 724">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 724 1150 865">Referral Code Is Required If Disposition Indicates Referral Rule</td> <td data-bbox="1150 724 1625 865">Referral Code is required if Disposition Code is 15300.1, 15300.3, or 15300.8, i.e. CMHC, Private Provider, or DMH Facility, indicating a referral.</td> <td data-bbox="1625 724 1978 865"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Episode Discharge Referral Value Set	Unknown code for type 'EpisodeDischargeReferral'	Rule Name	Message	Additional Values in Message	Referral Code Is Required If Disposition Indicates Referral Rule	Referral Code is required if Disposition Code is 15300.1, 15300.3, or 15300.8, i.e. CMHC, Private Provider, or DMH Facility, indicating a referral.	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System , for the Episode Discharge Referral Value Set	Unknown code for type 'EpisodeDischargeReferral'															
Rule Name	Message	Additional Values in Message														
Referral Code Is Required If Disposition Indicates Referral Rule	Referral Code is required if Disposition Code is 15300.1, 15300.3, or 15300.8, i.e. CMHC, Private Provider, or DMH Facility, indicating a referral.															
Referred Service Code	The Service to which the client was referred at the end of the Treatment Episode	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="667 919 856 971">Data Type</th> <th data-bbox="856 919 1984 971">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 971 856 1023">string</td> <td data-bbox="856 971 1984 1023">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="667 1109 1247 1161">Rule</th> <th data-bbox="1247 1109 1978 1161">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 1161 1247 1271">Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Referred Service Value Set</td> <td data-bbox="1247 1161 1978 1271">Unknown code for type 'EpisodeDischargeReferredService'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="667 1321 1150 1373">Rule Name</th> <th data-bbox="1150 1321 1625 1373">Message</th> <th data-bbox="1625 1321 1978 1373">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="667 1373 1150 1515">Referred Service Code Is Required If Disposition Code Is A Provider Rule</td> <td data-bbox="1150 1373 1625 1515">Referral Code is required if Disposition Code is 15300.1, 15300.3, or 15300.8, i.e. CMHC, Private Provider, or DMH Facility.</td> <td data-bbox="1625 1373 1978 1515"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System , for the Episode Discharge Referred Service Value Set	Unknown code for type 'EpisodeDischargeReferredService'	Rule Name	Message	Additional Values in Message	Referred Service Code Is Required If Disposition Code Is A Provider Rule	Referral Code is required if Disposition Code is 15300.1, 15300.3, or 15300.8, i.e. CMHC, Private Provider, or DMH Facility.	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System , for the Episode Discharge Referred Service Value Set	Unknown code for type 'EpisodeDischargeReferredService'															
Rule Name	Message	Additional Values in Message														
Referred Service Code Is Required If Disposition Code Is A Provider Rule	Referral Code is required if Disposition Code is 15300.1, 15300.3, or 15300.8, i.e. CMHC, Private Provider, or DMH Facility.															

Field	Description	Validation Rules														
Disposition Code	The setting to which the patient transferred after Discharge.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="669 228 863 277">Data Type</th> <th data-bbox="863 228 1974 277">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 277 863 326">string</td> <td data-bbox="863 277 1974 326">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="669 415 1247 464">Rule</th> <th data-bbox="1247 415 1967 464">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 464 1247 578">Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Disposition Value Set</td> <td data-bbox="1247 464 1967 578">Unknown code for type 'EpisodeDischargeDisposition'</td> </tr> </tbody> </table> <p>Errors</p> <table border="1"> <thead> <tr> <th data-bbox="669 667 1150 716">Rule Name</th> <th data-bbox="1150 667 1625 716">Message</th> <th data-bbox="1625 667 1967 716">Additional Values in Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 716 1150 764">Disposition Code Is Required Rule</td> <td data-bbox="1150 716 1625 764">Disposition Code is required</td> <td data-bbox="1625 716 1967 764"></td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Disposition Value Set	Unknown code for type 'EpisodeDischargeDisposition'	Rule Name	Message	Additional Values in Message	Disposition Code Is Required Rule	Disposition Code is required	
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Disposition Value Set	Unknown code for type 'EpisodeDischargeDisposition'															
Rule Name	Message	Additional Values in Message														
Disposition Code Is Required Rule	Disposition Code is required															
Disposition Reason Code	The reason that the Disposition was chosen.	<p>Data Type Validation</p> <table border="1"> <thead> <tr> <th data-bbox="669 846 863 894">Data Type</th> <th data-bbox="863 846 1967 894">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 894 863 943">string</td> <td data-bbox="863 894 1967 943">Failed parsing value to type string</td> </tr> </tbody> </table> <p>Vocabulary Validation</p> <table border="1"> <thead> <tr> <th data-bbox="669 1032 1247 1081">Rule</th> <th data-bbox="1247 1032 1967 1081">Message</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 1081 1247 1195">Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Disposition Reason Value Set</td> <td data-bbox="1247 1081 1967 1195">Unknown code for type 'EpisodeDischargeDispositionReason'</td> </tr> </tbody> </table> <p>Guidance</p> <table border="1"> <thead> <tr> <th data-bbox="669 1284 1967 1333">Note</th> </tr> </thead> <tbody> <tr> <td data-bbox="669 1333 1967 1382">Disposition Reason Code is optional.</td> </tr> </tbody> </table>	Data Type	Message	string	Failed parsing value to type string	Rule	Message	Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Disposition Reason Value Set	Unknown code for type 'EpisodeDischargeDispositionReason'	Note	Disposition Reason Code is optional.				
Data Type	Message															
string	Failed parsing value to type string															
Rule	Message															
Must be a valid Vocabulary value from the Mississippi Code System, for the Episode Discharge Disposition Reason Value Set	Unknown code for type 'EpisodeDischargeDispositionReason'															
Note																
Disposition Reason Code is optional.																

Field	Description	Validation Rules
Arrest Type Code	The type of arrests the patient faced at discharge.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation
		Rule Message
		Must be a valid Vocabulary value from the Mississippi Code System , for the Episode Discharge Arrest Type Value Set Unknown code for type 'EpisodeDischargeArrestType'
		Guidance
		Note
		Arrest Type Code is optional.

1.3.1.9 Denial

This is a Subentity of Provider Treatment Episode.

1.3.1.9.1 Description

A Denial occurs when a patient is denied a transfer from the current Provider. One Denial record must be created each time a patient is denied a transfer. A Treatment Episode may contain multiple Denial records, each one representing a denied transfer.

1.3.1.9.2 Key Fields

The field in this entity that will be used to uniquely identify a record, to determine whether to create or update an existing record, and to delete an existing record is:

Field

Source Record Identifier

1.3.1.9.3 Additional Business Rules

Guidance

The Denial sub-entity is optional.

1.3.1.9.4 Fields

The fields in this entity, along with a description and associated validation rules for each are:

Field	Description	Validation Rules
Source Record Identifier	The provider's internal system identifier for the Denial record.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Length Validation
		Max Length Message
100 Value length must be less than or equal to '100'		
		Errors
		Rule Name Message Additional Values in Message
		Source Record Identifier Required Rule Source Record Identifier is required
		Guidance
		Note
		The SourceRecordIdentifier must be a unique identifier for this record in the source system. It must be a value that is unique and never changes. Examples of unique identifiers are Identity, AutoNumber or GUID. If the source system does not have a unique identifier, one can be constructed. A constructed SourceRecordIdentifier might contain the values that make this record unique and never change, separated by a delimiter.
Denying Provider Code	The Provider to which the patient was denied a transfer.	Data Type Validation
		Data Type Message
		string Failed parsing value to type string
		Vocabulary Validation

Field	Description	Validation Rules		
		Rule		Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Denying Provider Value Set.		Unknown code for type 'DenyingProvider'
		Errors		
		Rule Name		Message
		Additional Values in Message		
		Denying Provider Code Is Required Rule		Denying Provider Code Is Required
Denial Date	The date upon which the denial occurred	Data Type Validation		
		Data Type	Message	Note
		date	Failed parsing value to type Date	Refer to the Appendix document for Common Data Types .
		Errors		
		Rule Name		Message
		Additional Values in Message		
		Denial Date Is Required Rule		Denial Date is required
Reason Code	The reason that the transfer was denied	Data Type Validation		
		Data Type	Message	
		string	Failed parsing value to type string	
		Vocabulary Validation		
		Rule		Message
		Must be a valid Vocabulary value from the Mississippi Code System, for the Denial Reason Value Set		Unknown code for type 'DenialReason'
		Errors		
		Rule Name		Message
		Additional Values in Message		
		Denying Provider Code Is Required Rule		Denying Provider Code Is Required